Savage Arms

1969



1969

Savage Arms

SPORTING ARMS and ACCESSORIES

EXPORT PRICE LIST

EFFECTIVE JANUARY 15, 1969

TERMS AND CONDITIONS OF SALE

Regular Terms

1. Prices shown herein are net. Standard export packing included.
2. On orders accompanied by full cash advance payment 2% discount is allowed.
3. Payments accepted in United States funds only.

Delivery Point — Handling Charges

1. Freight Shipments — F.O.B. Cars, New York, New York
2. Parcel Shipments — F.O.B. Westfield, Massachusetts
3. A handling charge of $2.50 (in addition to postage) will apply to all shipments of firearms, telescope sights, and reloading presses valued at less than $100.00. This charge does not apply to shipments of items listed herein under "Accessories" or under "Component Parts and Repairs".
4. All ocean freight shipments will carry a pier charge of $3.00 per shipment. In addition, on all ocean freight shipments where Savage Arms performs the documentation and forwarding services, there will be a charge of $17.50 per shipment.

Trademarks

Savage*, the Indian Head*, Stevens*, Fox and "Four-Tenner" are trademarks of Savage Arms, Division of Emhart Corporation, Westfield, Mass. Registered in U.S. Patent Office and other countries. *Marca Registrada.

Acceptance of Orders

This supersedes all previous price lists. Prices, terms and specifications are subject to change without notice. Orders are subject to acceptance at Export Department, Westfield, Massachusetts, U.S.A. The acceptance of orders and shipments of goods under the above terms and conditions of sale are subject to strikes, lockouts, labor troubles, war, fire, flood, accident or other conditions beyond our control.

Returned Goods

Merchandise shipped against bona fide open orders is not returnable for credit. If adjustments are desired prior approval must be obtained from Export Department, Westfield, Massachusetts, U.S.A. before returns are made.

FOR DETAILED SPECIFICATIONS SEE ILLUSTRATED CATALOG NO. 911

SAVAGE ARMS / WESTFIELD, MASS. 01085 / Division of Emhart Corporation

EXPORT OFFICE:
Westfield, Mass. 01085 U.S.A.
Cable Address: "SAVAGE Westfield"
TELEX No. 955440

MODEL		PRODUCT CODE					1969 Export Price
SAVAGE CENTER FIRE RIFLES							
BOLT ACTION				243 Win.		30-06 Spfld.	
110-PE	Presentation grade	right hand		2119200		2119900	$224.70
110-PEL		left hand		2118200		2118900	
110-PE	Presentation grade	right hand				2119100	231.20
110-PEL		left hand			7mm Rem. mag.	2118100	
				243 Win.		30-06 Spfld.	
110-P	Premier grade	right hand		2115200		2115903	133.45
110-PL		left hand		2116200		2116904	
110-P	Premier grade	right hand				2115104	140.85
110-PL		left hand			7mm Rem. mag.	2116105	
		22-250 Rem.	243 Win.	270 Win.	30-06 Spfld.	308 Win.	
110-C	clip magazine rifle		2120200	2120400	2120900	2120600	81.90
110-CL			2130200	2130400	2130900	2130600	84.85
110-D	right hand	2113010	2113201	2113406	2113902	2113600	78.95
110-DL	left hand	2114010	2114208	2114402	2114909	2114607	81.90
		magnum:	264 Win.	300 Win.	7mm Rem.	338 Win.	
110-D	right hand		2113309	2113538	2113104	2113805	84.85
110-DL	left hand		2114305	2114526	2114194	2114801	87.85
			243 Win.	270 Win.	30-06 Spfld.	308 Win.	
110-E	right hand		2110296	—	2110997	2110600	65.35
110-EL	left hand		2107200	—	2107900	2107600	68.35
110-E	right hand			7mm Rem. mag.	2110105		72.80
110-EL	left hand			7mm Rem. mag.	2107100		75.75
340		222 Rem. — 2340119		30-30 Win. — 2340828		225 Win. — 2340700	47.60
LEVER ACTION		243 Win.	284 Win.	300 Sav.	308 Win.		
99-PE	Presentation grade	2960200	2960300	—	2960400		234.45
99-DE	Citation grade	2970200	2970300	—	2970400		185.65
99-DL	clip magazine	2990202	2990301	2990504	2990601		89.05
99-C		2980500	2980700	—	2980601		87.55
99-F		2993201	2993301	2993503	2993600		87.55
99-E		2991209	—	2991500	2991608		71.25

SAVAGE AND STEVENS PUMP ACTION REPEATING SHOTGUNS

		Barrel	Choke	12 ga.	20 ga.	410 ga.	
30	Savage	26"	I.C.	5030110	5030315		63.90
		26"	Mod.			5030420	
		26"	Full			5030439	
		28"	Mod.	5030129	5030323		
		28"	Full	5030137	5030331		
		30"	Full	5030145			
30-T	Savage	30"	Full	5030013			66.85
30-L	Savage	12 ga. 26" I.C. — 5031117		12 ga. 28" Mod. — 5031125			62.15
		12 ga. 28" Full — 5031133		12 ga. 30" Full — 5031141			
69-R	Savage (riot gun)	12 ga. 20" — 5069110					52.00

		Barrel	Choke	12 ga.	16 ga.	20 ga.	410 ga.	
77	Stevens	26"	I.C.	5077117	5077214	5077303		51.75
		26"	Mod.				5077427	
		26"	Full				5077435	
		28"	Mod.	5077125	5077222	5077311		
		28"	Full	5077133	5077230	5077338		
		30"	Full	5077141				
77-AC	Stevens	26"	Adj.	5080100	5080200	5080300		55.60

SAVAGE OVER-AND-UNDER SHOTGUNS

440	12 ga. 26" Skeet — 9440110	12 ga. 26" I.C./Mod. — 9440112	12 ga. 28" Mod./Full — 9440120	12 ga. 30" Mod./Full — 9440130	142.70
440T	Trap gun	12 Ga. 30" Mod./Full — 9445110			171.20
444	12 ga. 26" Skeet — 9444110	12 ga. 26" I.C./Mod. — 9444112	12 ga. 28" Mod./Full — 9444120	12 ga. 30" Mod./Full — 9444130	173.90
330	12 ga. 26" I.C./Mod. — 9330112	12 ga. 28" Mod./Full — 9330120	12 ga. 30" Mod./Full — 9330130		119.95

STEVENS BOLT ACTION REPEATING SHOTGUNS

58	12 ga. 25" Full	7058128		
	16 ga. 25" Full	7058217		28.80
	20 ga. 25" Full	7058314		
	410 ga. 24" Full	7058500		24.10
58-AC	12 ga. 25" Adj.	7057113		
	16 ga. 25" Adj.	7057210		30.95
	20 ga. 25" Adj.	7057318		
59	410 ga. 24" Full	7059507		30.85
51	single shot bolt action shotgun — 410 ga. 24" Full	7051506		20.50

SAVAGE AUTOMATIC SHOTGUNS

750	12 ga. 26" I.C. — 4749103	12 ga. 28" Mod. — 4749111	12 ga. 28" Full — 4749138		89.05
750-AC	12 ga. 26" Adj. — 4778101				92.00

MODEL		PRODUCT CODE					1969 Export Price
FOX AND STEVENS DOUBLE BARREL SHOTGUNS		Barrel	Choke	12 ga.	16 ga.	20 ga.	410 ga.	
B-SE	Fox	26"	I.C./Mod.	8543112	8543212	8542200		$95.15
		26"	Full/Full				8543500	
		28"	Mod./Full	8543139	8543239	8542210		
		30"	Mod./Full	8543147				
B	Fox	26"	I.C./Mod.	8540101	8540217	8540314		79.85
		26"	Full/Full				8540500	
		28"	Mod./Full	8540136	8540233	8540330		
		30"	Mod./Full	8540144				
311	Stevens	26"	I.C./Mod.	8311110	8311218	8311315		58.10
		26"	Full/Full				8311501	
		28"	Mod./Full	8311137	8311234	8311331		
		30"	Mod./Full	8311145				
SAVAGE AND STEVENS SINGLE BARREL SHOTGUNS								
220-L	Savage			12 ga. 30" Full—6223133 16 ga. 28" Full—6223222		20 ga. 28" Full—6223317 410 ga. 26" Full—6223508		28.75
94	Stevens	12 ga. 32" Full—6094147 12 ga. 30" Full—6094139 16 ga. 32" Full—6094244		16 ga. 30" Full—6094236 16 ga. 28" Full—6094228 20 ga. 30" Full—6094333		20 ga. 28" Full—6094325 28 ga. 28" Full 6094422 410 ga. 26" Full 6094503		20.50
94-G	Stevens	SAME AS ABOVE With No. 1 swivel loops						21.75
94-S	Stevens	SAME AS ABOVE With No. 1 swivel loops and web strap						22.25
94	Stevens	12 ga. 36" Full—6094155						21.65
94-G	Stevens	12 ga. 36" Full With No. 1 swivel loops						22.90
94-S	Stevens	12 ga. 36" Full With No. 1 swivel loops and web strap						23.40
94-C	Stevens	12 ga. 32" Full—6093140 12 ga. 30" Full—6093139		12 ga. 28" Full—6093120 16 ga. 28" Full—6093228 20 ga. 28" Full—6093325		28 ga. 28" Full—6093422 410 ga. 26" Full—6093503		23.25
		12 ga. 36" Full—6093155						24.45
940	Stevens	12 ga. 32" Full—6940145 12 ga. 30" Full—6940137 12 ga. 28" Full—6940129		16 ga. 28" Full—6940226		20 ga. 28" Full—6940323 28 ga. 28" Full—6940420 410 ga. 26" Full—6940501		20.50
		12 ga. 36" Full—6940153						21.65
940-Y	Stevens			20 ga. 26" Mod.—6943314		410 ga. 26" Full—6943500		21.65
95	Stevens	12 ga. 32" Full—6195145		12 ga. 30" Full—6195139		12 ga. 28" Mod.—6195100	20 ga. 28" Full—6195330	20.15
SAVAGE OVER-AND-UNDER RIFLE/SHOTGUNS				22 LR/410	22 LR/20	22 mag./410	22 mag./20	
24-D				3025004	3026000	3025101	3026108	44.65
24-S				3027007	3027104	3028003	3028208	36.10
24-V				222 Rem./20 ga.		3029101		55.05
SAVAGE AND STEVENS 22 CALIBER RIFLES								
90	Savage—tubular magazine automatic			22 LR		0090000		32.00
88	Stevens—tubular magazine automatic			22 LR		0061000		27.95
60	Savage—tubular magazine automatic			22 LR		0060000		34.95
BOLT ACTION REPEATERS								
65	Savage—clip magazine			22 LR, L&S		0065000		26.30
65-M	Savage—clip magazine			22 magnum		0065100		28.75
34M	Stevens—clip magazine			22 magnum		0034100		26.30
34	Stevens—clip magazine			22 LR, L&S		0034000		23.85
46	Stevens—tubular magazine					0046000		25.65
BOLT ACTION SINGLE SHOT								
63	Savage—Mannlicher stock			22 LR, L&S		0063002		17.70
63-M	Savage—Mannlicher stock			22 magnum		0063207		19.55
73	Stevens—standard size			22 LR, L&S		0073008		14.95
73-Y	Stevens—youth's model					0073202		
SAVAGE SHOTGUN GAUGE ADAPTER				12 to 410 ga.	16 to 410 ga.	20 to 410 ga.		6.95
412	"Four-Tenner"			F412200	F412300	F412400		
SAVAGE ACTIONS AND BARRELED ACTIONS								
110-RA	right hand actions			specify short, long or magnum				44.30
110-KA	left hand actions							47.60
BARRELED ACTIONS				22-250	243	270	308	30-06
110-R	right hand			2112070	2112205	2112418	2112604	2112906	58.85
110-K	left hand			2111070	2111209	2111403	2111608	2111918	61.45
				magnum:	7 mm	264	300	338	
110-RM	right hand				2112708	2112302	2112523	2112809	65.90
110-KM	left hand				2111107	2111306	2111527	2111802	68.55

MODEL			PRODUCT CODE	1969 Export Price
SAVAGE SCOPE SIGHTS *(Standard packing four of one model per master carton)*				
SCOPES FOR 22 CALIBER RIFLES				
2037	3X—7X	20 variable (with mounts)	T203700	$ 8.70
0620	6X	20 (with mounts)	T062000	6.50
0420	4X	20 (with mounts)	T042000	5.20
SCOPES FOR CENTER FIRE RIFLES				
3833	3X—8X	33—variable	T383300	32.40
0433	4X	33—crosshairs	T043300	20.00
0433-P	4X	33—post reticle	T043310	
2520	2.5X	20—crosshairs	T252000	17.25
2520-P	2.5X	20—post reticle	T252010	4.20
MOUNTS—rings (pair)			B000000	.60
	bases (pair or one-piece—state model and caliber)—except B-5 base			1.00
	B-5 base (special one-piece base for 24-V—222 Rem./20 ga. only)			4.80
	rings and bases (set—state model and caliber)—except B-5 base			5.10
	rings and B-5 base (set—for 24-V—222 Rem./20 ga. only)			1.50
40	side mount for model 340 rifle		B004000	

When shipped from our stock, Model 99, 110 and 340 rifles will be fitted, on special order, with Savage scope sights. Prices on request.

SAVAGE INTERCHANGEABLE BARRELS interchangeable in the same gauge only

		Barrel	Choke	PLAIN 12 ga.	PLAIN 20 ga.	VENTILATED RIB 12 ga.	VENTILATED RIB 20 ga.	
30	Savage	26"	1.C.	X030110	X030310	X031110	X031310	12.60 PLAIN
		28"	Mod.	X030130	X030330	X031130	X031330	24.95 VENT RIB
		28"	Full	X030120	X030320	X031120	X031320	
		30"	Full	X030140		X031140		
30T	Savage	30"	Full	X030140		X031140		

SAVAGE RELOADING EQUIPMENT

630	Shotshell press	(with 6 and 8 point precrimp die)	12 ga.—S101200 16 ga.—S101600	20 ga.—S102000 28 ga.—S102800	410 ga.—S141000	29.45
	Conversion kit		12 ga.—S201200 16 ga.—S201600	20 ga.—S202000 28 ga.—S202800	410 ga.—S241000	9.95
	Conversion kit for 3" shells		12 ga.—S201300	20 ga.—S202100		2.85
	Pre-crimp die for plastic or 410 ga. shells		6 pt.—S300100	8 pt.—S300110		1.90
	Powder charge bushing (order by letter)					.90
	Shot charge bushing (order by load weight)					.90
	Hopper (powder or shot)			S310000		.50
CENTER FIRE EQUIPMENT						
730	Center fire press			C100000		15.05
	Shell holder head (order by number)					1.35
	Primer kit—large and small			C500100		1.35
	Loading dies	2 piece—rifle 3 piece—pistol	(specify caliber)			7.25
	Bullet swaging conversion kit			C600100		5.10
	Bullet swaging die set (specify bullet type and caliber)					5.40

SAVAGE AND STEVENS ACCESSORIES

CLIP MAGAZINES (specify caliber or gauge)		
110-C	calibers: 22-250 Rem.; 30-06; 243, 270 or 308 Win. (4 shot)	2.90
99-C	calibers: 243 or 308 Win. (4 shot) 284 Win. (3 shot)	2.90
340	calibers: 225 Win. or 30-30 (3 shot), 222 Rem. (4 shot)	2.00
34 and 65	caliber: 22 long rifle, long or short (5 shot) (10 shot)	1.50
34M and 65-M	caliber: 22 magnum rimfire (5 shot)	1.80
58, 58-AC	gauges: 12, 16, or 20 (2 shot) 410 (3 shot)	1.50
SWIVEL LOOPS AND HOOKS		1.70
1	Single barrel shotgun loops 7/8" (specify gauge)	per set 1.50
2D	Swivel hooks and screw eyes 7/8" or 1 1/4" (specify width)	per set 2.50
4A	Detachable sling loops and studs 7/8" or 1 1/4" (specify width)	per set 1.50
7	Swivel loops and screws 7/8" or 1 1/4" (specify width)	per set 2.25
24-261	7/8" swivel-loops and bands for M-24 series (specify gauge)	per set 1.50
CARRYING STRAPS, SLINGS AND GUN COVERS		
1B	7/8" leather carrying strap with swivel hooks	each 2.00
2	1 1/4" adjustable leather sling	each 3.00
3	7/8" adjustable leather sling	each 2.50
4	7/8" mildew resistant web carrying strap	each .50
GC-1	Full length plastic gun covers (specify size)	each 3.00 40"—M040000 44"—M044000 48"—M048000 42"—M042000 46"—M046000 50"—M050000 52"—M052000

COMPONENT PARTS AND REPAIRS: *Write our Arms Service Division for Parts Catalog and Price List. They will be glad to quote the terms and discounts applicable to your purchases of component parts and to repair orders.*

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
	Savage ·1969		
110E	Bolt Action .243	802-3780	133.20
110E	Bolt Action .30-06	802-3822	133.20
110C	Bolt Action Clip .243	802-3897	167.00
110C	Bolt Action Clip .270	802-3913	167.00
110C	Bolt Action Clip .308	802-3921	167.00
110C	Bolt Action Clip .30-06	802-3871	167.00
110E Mag.	Bolt Action 7 m/m Mag.	802-3863	148.35
110 MC	Bolt Action Clip .243	802-3806	157.00
110MC	Bolt Action Clip .308	802-3798	157.00
340	Bolt Action Clip .222	802-3566	96.80
340	Bolt Action Clip .30-30	802-3608	96.80
340	Bolt Action Clip .225	802-3616	96.80
99E	Lever Action .243	802-3749	145.25
99E	Lever Action .308	802-3764	145.25
99F	Lever Action .308	802-3723	178.60
99C	Lever Action Clip .243	802-3640	178.60
99C	Lever Action Clip .308	802-3681	178.60
311	Double Barrel 12-30-F & M	802-4457	118.35
311	Double Barrel 12-18-F & M	802-4499	118.35
311	Double Barrel 16-28-F & M	802-4531	118.35
311	Double Barrel 20-28-F & M	802-4572	118.35
311	Double Barrel 410-26-F & F	802-4614	118.35
58	Bolt Action 410-24-F	802-4713	48.75
58AC	Bolt Action Adj. Choke 12-24	802-4705	62.85
58AC	Bolt Action Adj. Choke 20-24	802-4721	62.85
24S	Over & Under 22 LR-20 ga.	802-4358	73.25
24S	Over & Under 22 LR-410 ga.	802-4366	73.25
24MS	Over & Under 22 Mag-410 ga.	802-4416	73.25
24MS	Over & Under 22 Mag-20 ga.	802-4408	73.25

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
24D	Over & Under .22 LR-410 ga.	802-4267	90.80
24D	Over and Under .22 LR-20 ga.	802-4259	90.80
24D	Over and Under .22 Mag.-410 ga.	802-4317	90.80
24D	Over and Under .22 Mag.-20 ga.	802-4309	90.80
24V	Over and Under .22-20 ga.	802-4424	112.10
60	.22 Semi-Auto Clip	802-3392	80.85
88	.22 Semi-Auto Tube	802-3418	64.60
87	.22 Semi-Auto Tube	802-3400	67.00
65	Bolt Action Clip .22 LR	802-3483	60.65
65M	Bolt Action Clip .22 Mag.	802-3525	66.40
34	Bolt Action Clip .22 LR	802-3558	54.95
34M	Bolt Action Clip .22 Mag.	802-3582	60.65
412	Shotgun Adapter 12 ga. to 410	802-4697	15.80
412	Shotgun Adapter 16 ga. to 410	802-4739	15.80
412	Shotgun Adapter 20 ga. to 410	802-4770	15.80
440	Over and Under 12-30-F & M	802-4820	291.40
440	Over and Under 12-28-F & M	802-4812	291.40
440	Over and Under 12-26-IC & M	802-4838	291.40
440	Over and Under 12-26-Skeet	802-4846	291.40

Charles Daly ·1969

CODE NO.	MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
715	Venture	Over & Under 12-28-F & M	802-8706	249.00
705	Venture	Over & Under 12-26-IC & M	802-8714	249.00
718	Venture	Over & Under 20-28- F & M	802-8722	249.00
717	Venture	Over & Under 20-26-IC & M	802-8730	249.00
120	Field	Over & Under 12-30-F & M	802-8789	329.00
115	Field	Over & Under 12-28-F & M	802-8797	329.00
105	Field	Over & Under 12-26-IC & M	802-8805	329.00
100	Field	Over & Under 12-26-Skeet	802-8821	329.00
145	Field	Over & Under 20-28- F & M	802-8839	329.00
135	Field	Over & Under 20-26- IC & M	802-8847	329.00
130	Field	Over & Under 20-26-Skeet	802-8854	329.00
180	Field	Over & Under 28-26-Skeet	802-8862	349.00
195	Field	Over & Under 410-26 Skeet	802-8870	349.00
220	Superior	Over & Under 12-30-F & M	802-8938	349.00
215	Superior	Over & Under 12-28-F & M	802-8946	349.00
205	Superior	Over & Under 12-26-IC & M	802-8953	349.00
200	Superior	Over & Under 12-26-Skeet	802-8961	349.00
245	Superior	Over & Under 20-28-F & M	802-8979	349.00
235	Superior	Over & Under 20-26-IC & M	802-8987	349.00
230	Superior	Over & Under 20-26-Skeet	802-8995	349.00
361	Superior Trap	Over & Under M/C 12-30-F&M	802-9001	359.00
300	Single Trap	12-32-Full	802-9050	329.00
905	Empire	Double Barrel 12-26-IC&Mod.	802-9100	236.00
915	Empire	Double Barrel 12-28-F&Mod.	802-9118	236.00
920	Empire	Double Barrel 12-30-F&Mod.	802-9126	236.00
935	Empire	Double Barrel 20-26-IC&Mod.	802-9134	236.00
945	Empire	Double Barrel 20-28-F&Mod.	802-9142	236.00



Savage 99 LEVER ACTION RIFLES

99-DL **Calibers: 300 Savage; 243, 284, and 308**

World's favorite lever action big game rifle in a deluxe model. All the proven features of the 99, with high comb Monte Carlo stock; ideal for scope use.

99-C **Calibers: 243, 284 and 308**

Now, a Savage 99 with detachable clip magazine. Makes loading and unloading fast—safety is increased by carrying the rifle unloaded until ready to hunt. An extra loaded clip means reserve firepower is ready when needed. Clip follows the graceful contours of the receiver; locks into place instantly and ejects when you press release button (recessed in receiver to prevent accidental release). Easily handled, even with gloves.

99-F **Calibers: 300 Savage; 243, 284 and 308**

The *lightest* lever action, big game rifle around. Choose from the largest selection of calibers ever offered in a lever action. This featherweight enjoys great popularity. Same basic features as the 99-DL. Perfect balance and length. Weighs about 6½ lbs.; is light to carry, quick and easy to point.

99-E **Calibers: 300 Savage; 243 and 308**

Here's the classic high power Savage lever action in a carbine model with all the solid virtues of its time-tested design, but without any frills to increase the cost. Now there's no need to settle for a lever action in less powerful calibers. An outstanding value. Scopegun available.

99-PE **Presentation Grade, Calibers: 243, 284, 308**

Illustrated on pages 2, 3 and back cover.

The Savage 99 has classic lines that lend themselves naturally to custom treatment. Master engravers and stockmakers have combined their talents to produce a rifle that takes its place among the finest. Very select, richly figured American walnut is fashioned into a graceful Monte Carlo stock. Generous hand checkering adorns the fore-end and pistol grip. All four surfaces of the receiver, the tang and the lever are richly engraved. The sides of the receiver carry two different game scenes—a mountain lion on the right, elk on the left. The steel is left unblued with a permanently protective finish.

99-DE **Citation Grade, Calibers: 243, 284 and 308**

Similar to the 99-PE above, but with less elaborate engraving. A lively deer graces the bottom of the receiver while its sides are paneled with a handsome scroll design. The top of the receiver, including the tang, as well as the lever, are also engraved. The steel is unblued with a rich and permanent protective finish. Select American walnut is used for the Monte Carlo stock and fore-end.

99-E/S **Scopegun, Calibers: same as 99-E**

We've combined a best selling rifle with a quality 4X Savage scope, and the hunter gets a real buy.

Scopes for center fire rifles illustrated and described on pages 29 and 30.

99-PE *Presentation Grade*



99-DE *Citation Grade*

A beautiful color brochure is available from your dealer or from Savage Arms illustrating in detail the Presentation and Citation Grade rifles.

99-DL *deluxe, with Monte Carlo stock*

99-C *clip model*

99-F *featherweight*

99-E *carbine shown with Savage 4X scope*

	99-C	99-DL 99-PE 99-DE	99-F	99-E
BARREL	Proof-tested. Chrome-moly steel.			
Length	22″	22″	22″	20″
ACTION	Hammerless, solid breech, lever action. Case-hardened lever, blued steel receiver (99-PE receiver and lever unblued with permanently protective finish, richly engraved receiver and lever. 99-DE, same finish but less elaborate engraving). Top tang indicator shows when cocked.			
	Damascened bolt. Gold plated trigger.			Grooved trigger.
MAGAZINE	Clip. Ejection push button recessed in receiver.	Fully enclosed with rotary carrier. Number of cartridges in magazine shown on left side of receiver.		Fully enclosed with rotary carrier.
Capacity	4 shots, plus one in chamber (284 caliber one less).	5 shots, plus one in chamber (284 caliber one less).		5 shots, plus one in chamber.
SAFETY	Slide safety on top tang locks trigger and lever.			Slide safety locks trigger and lever.
STOCK	Selected walnut, fluted comb, capped pistol grip. Checkered grip and fore-end (99-DL has Monte Carlo stock, with sling swivels. 99-PE has Monte Carlo stock of very select American walnut, hand checkered. 99-DE has stock of select American walnut).			Walnut finished hardwood. Checkered pistol grip and fore-end.
Dimensions	Length 13½″; drop 1½″ at comb, 2½″ at heel.	Length 13½″; drop 1⅝″ at comb, 1½″ at Monte Carlo, 2½″ at heel.	Length 13½″; drop 1½″ at comb, 2½″ at heel.	
Butt Plate	Steel	Aluminum	Steel	Hard rubber
SIGHTS—front	Gold bead on raised ramp.			
rear	Semi-buckhorn with step elevator; folds flat for scope use, returns to same elevation setting. (99-PE — 99-DE have folding leaf sight).			Sporting with step elevator (99E/S has folding leaf sight).
	Receiver tapped for top mount scopes.			
LENGTH	41¾″	41¾″	41¾″	39¾″
WEIGHT (avg.)	6¾ lbs.	6¾ lbs.	6½ lbs.	7 lbs.

Savage 110 BOLT ACTION CENTER FIRE RIFLES RIGHT- AND LEFT-HAND



Magazine ejector
Patent No. 3,281,979

Over ten years ago Savage engineers faced a challenge — design a modern bolt action center fire rifle — one that was not just another rifle like some good ones already around. It had to meet rigid modern-day standards: standards of accuracy, strength and dependability demanded by varmint shooters and big game hunters. It had to be an extraordinary rifle (or why introduce it). But it had to sell for an ordinary price.

The Savage design was a success, for the 110 has proven itself with gun experts and big game and varmint shooters everywhere. Here's what they did:

The first step was to literally design the 110 action around the cartridge. The engineers wanted to achieve superior front-to-back fit of the cartridge in the chamber, when the bolt was closed. The *better* this fit (called headspace and measured in thousandths) the *better* the accuracy.

Savage pioneered a method to obtain *superior* headspace, thus engineering out the traditional "plus-or-minus" tolerances that so critically affect accuracy.

Precise headspace is one reason why the gun editors of a leading gun magazine obtained outstanding test results with three different 110 rifles. Using factory ammunition and handloads, they got 5-shot groups from 5/16 inch to 2 inches at 100 yards.

To quote, " . . . none of these Savages had any work at all done to them, nor were they special guns loaned to us for testing. The average group size was one inch."

A modern bolt action must be strong enough to handle magnum calibers. Savage engineers saw to this also. The recessed bolt face completely surrounds and supports the cartridge head. It fits snugly against the barrel, eliminating all gaps. Massive steel locking lugs on the bolt lock into the machined steel receiver. The cartridge is surrounded by the proof-tested barrel, steel barrel lock nut and solid steel receiver.

The net result is an action that is *unsurpassed* for strength.

Savage engineers went beyond strength alone and designed a *superior* gas handling system. The twin gas ports in bolt and receiver, the unique gas baffle lugs on the bolt and the bolt end cap, all combine to give the shooter complete protection against possible leakage (as from primer or case failure).

As for the 110 trigger, one of our big-bore benchrest shooters designed it; it's adjustable for weight of pull, sear engagement and overtravel.

Savage wanted the 110 to be tailored to the shooter and the cartridge. So there's a short action for short cartridges like the 243, 308 and 22-250; and a long action for long cartridges like the 270, 30-06 and 7 mm magnum, etc. Both are made in right hand for right-handed shooters, and in left hand for left-handed shooters.

Savage, incidentally, was the first manufacturer to make a bolt action center fire for the southpaw. Even if you are not left-handed, doesn't that show how far we'll go to please the shooter?



110-PE *Presentation Grade*

110-C *detachable clip*

Well, we went one step further. We designed the magazine an extra tenth of an inch longer than necessary. For handloaders who seat their bullets shallow, or who prefer a longer bullet, the longer length will clear the magazine.

On the looks of the 110? Monte Carlo stock. Highly polished, richly blued receiver and barrel; solid steel machined receiver. Distinctively checkered walnut stock.

There's still more custom grade features: the 110 bolt has neat, clean lines. And when you work the bolt, listen to the solid sound — like closing the door of a Rolls. A top tang safety that's right where it should be, under your thumb for instant control. An extra deep butt end and contoured butt plate for better shoulder fit and more comfortable recoil absorption. A precision rifled, crowned, free-floating barrel for even greater accuracy. Curved bolt handle. And variety for the needs of every shooter: clip models; floor plate models; right- and left-hand models; magnum and varmint models; Scopeguns.

With so much going for the 110, Savage believes that time, as only time can do, will prove the 110 a big game classic, just as the famous Savage 99 is today!

Detachable clip—for greater convenience, added firepower. This unique Savage ejector clip in the 110-C offers the shooter one of the greatest conveniences available in a center fire bolt action rifle. Loading is quick and easy. Just pop the clip home and you're set. To unload push the button (recessed to prevent accidental release) and out pops the clip into your hand, with the cartridges neatly held in place. There are no loose shells that can scatter to be lost in leaves or snow or around camp. Since the shells are firmly held, bullet points are protected and accuracy is maintained.

The clip follows the contour of the rifle; there are no bulges or projections.

Game has a habit of showing up when least expected. With the loaded clip you have firepower available the instant it's needed. And with an extra loaded clip in your pocket, you always have firepower in reserve.

Choose your 110 from among 5 models, right- and left-hand, as shown above and on the next two pages.

A beautiful color brochure is available from your dealer or from Savage Arms illustrating in detail the Presentation and Premier Grade rifles.



A full color 17" x 22" reprint of Roger Little Horne, an authentic Mohawk Indian (shown above), is available. Write Savage Arms, Dept. C-1, Westfield, Mass. 01085. Include 50¢ for postage and handling.

Savage 110 BOLT ACTION CENTER FIRE RIFLES
RIGHT-AND LEFT HAND

110-P (right-hand) 110-PL (left-hand) Calibers: 30-06, 243 ; 7 mm mag.

The Savage 110 Premier Grade can be compared only with outstanding examples of the custom gunmaker's art. Exterior surfaces are given a deep, rich polish. The stock is fine French walnut, hand checkered and finished, with roll-over cheek-piece, rosewood grip cap and fore-end tip. Savage Scope extra. 110-PL has left-hand action and stock.

110-C (right-hand) 110-CL (left-hand) Calibers: 30-06 , 243, 270 and 308
Illustrated on pages 6, 7.

All the solid features of the 110 plus the detachable clip magazine for convenient loading and unloading. To unload, press the recessed button and out pops the clip with the shells neatly held and tips protected! There are no loose shells that can scatter to be lost in leaves or snow. An extra loaded clip in a jacket pocket provides additional firepower.

110-D (right-hand) 110-DL (left-hand)
Calibers: Standard — 30-06, 22-250, 243, 270 and 308
Magnum — 7 mm, 264, 300 and 338

Here's the proven 110 but with solid floor plate for those shooters who prefer it. The 110 gives you proven dependability in popular big game calibers and in four magnum calibers with knockdown power to handle everything from caribou and elk to polar bear plus most African game.

The 22-250 varmint model has heavy, 24″ chrome-moly steel barrel.

110-E (right-hand) 110-EL (left-hand) Calibers: 30-06, 243, 308; 7 mm mag.

Here's a 110 that will fit any sportsman's budget. Walnut finished hardwood stock and the regular One-Ten action. Four outstanding calibers for anything from chuck to brownie. The Savage Scopegun (below) offers an even greater value.

110-PE (right-hand) 110-PEL (left-hand) Calibers: 30-06, 243; 7 mm mag.
Illustrated on pages 6, 7, and back cover.

In response to requests for the fine One-Ten action in a custom grade rifle, Savage offers the 110-PE Presentation Grade. Both wood and metal surfaces are distinguished examples of the gunsmith's skill. Receiver, floor plate and trigger guard are richly engraved by hand. The metal is "in the white" with a permanently tarnish resistant finish. The Monte Carlo stock of choice French walnut has a hand carved roll-over cheek-piece. Fine hand checkering is in the distinctive skip-line pattern. Rosewood with a white liner caps the pistol grip and fore-end tip. Because of the handwork, only a limited number of these rifles can be produced.

A beautiful color brochure is available from your dealer or from Savage Arms illustrating in detail the Presentation and Premier Grade rifles.

110 ACTIONS and BARRELED ACTIONS

For those whose requirements are not met by standard production, actions and barreled actions are available. Barreled actions are the same as the 110-D (right- or left-hand), except that the stock, front and rear sights, and sight slots are omitted. Actions only, same less barrels. Calibers: 30-06, 22-250, 243, 270 and 308. Magnum calibers: 7 mm, 264, 300 and 338.



BARRELED ACTIONS

110-R *right-hand barreled action* *Magnum*
110-K *left-hand barreled action* *Magnum*

ACTIONS ONLY

110-RA *right-hand action only.* **110-KA** *left-hand action only.*

Actions only are available through qualified gunsmiths. Address inquiries to Arms Service Division.

SAVAGE SCOPEGUNS . . . the money saving way to buy scope and mounts. 75% of big game hunters wind up, sooner or later, with a scoped rifle. With the prepackaged combinations below, you can get one now at a savings.

110-E/S *Scopegun*

110-EL/S *Scopegun*

includes 110-E rifle, Savage 4X scope, rings and bases

Scopes for center fire rifles illustrated and described on pages 29 and 30.

110-P *with Savage 4X scope*

110-C *clip*

110-D

110-E *with Savage 4X scope*

110-DL *left-hand*

	110-P 110-PE	110-D	110-C	110-E
BARREL	Proof-tested. Medium weight, chrome-moly steel (except 264 and 7 mm, stainless steel) 22-250 has heavy barrel.			
Length	22″ (7 mm, 24″)	22″ (magnum cal. and 22-250, 24″)	22″	20″ (7 mm, 24″)
ACTION	Cocks on opening. Recessed bolt face and double front locking lugs; bolt head fully enclosed in receiver. Twin gas ports. Cocking indicator on right side. (110-PE receiver, bolt handle, floor plate and trigger guard unblued with permanently protective finish, richly engraved.)			
MAGAZINE	Staggered box (110-C has detachable box magazine).			
Capacity	4 shots, plus one in chamber (magnum calibers one less).			
SAFETY	Slide safety on top tang locks bolt and trigger.			
STOCK	French walnut.	Selected walnut.		Walnut finished hardwood.
	Skip-line hand checkered.	Checkered pistol grip and fore-end.		
Dimensions	Length 13½″; drop 1⅝″ at comb, 1½″ at Monte Carlo, 2½″ at heel.			
Butt plate	Recoil pad.	Aluminum (magnum caliber recoil pad.)		Hard rubber (7 mm, recoil pad).
SIGHTS—front	Gold bead on removable ramp (22-250, 110-PE, no sights.)			
rear	Folding leaf (110-PE, no sights).	Semi-buckhorn with step elevator; folds flat for scope use, returns to same elevation setting (22-250, no sights).		Sporting with step elevator (110 E/S has folding leaf sight).
	Receivers drilled and tapped for top mount scopes and aperture sights.			
LENGTH	42½″—45″	42½″—45″	42½″—44½″	40½″—45″
WEIGHT (avg.)	7 lbs. (7 mm, 7¾ lbs.)	6¾ lbs. (mag. calibers, 7¾ - 8 lbs.) 22-250, 8 lbs.	6¾ lbs.	6¾ lbs. (7mm, 7¾ lbs.)

Left-hand rifles built to same specifications, except with left-hand stock and action.

Savage 340
BOLT ACTION CENTER FIRE RIFLE



340

340 Calibers: 30-30, 222, 225

". . . the Savage 340 sells for a price that belies its accuracy" states one of the leading gun magazines.

Proper headspace is vital for accuracy. Precision headspacing of the 340, achieved by a unique Savage method, assures optimum performance from each and every cartridge. The bolt locks up in front, assuring even greater strength and accuracy. The barrel is precision rifled and the muzzle is crowned.

New styling goes hand in hand with 340 accuracy. The bolt handle is curved. The newly streamlined stock is American walnut, complete with checkering, Monte Carlo, pistol grip cap and white line spacers. Unique with Savage, the clip pops out when the release lever is pushed; a feature to be appreciated when the weather is cold and your hands are gloved. The sights are all metal.

After carrying a rifle in the woods for an entire day, weight becomes important. Our designers considered this, too. The 340 is 6½ lbs. light, a factor that will be appreciated come 4 o'clock in the afternoon.

The 340 is available in three popular calibers. Choose the 30-30 for game like deer and black bear; the 222 or 225 for varmints.

For those shooters who use a scope (about 75% do) the 340 receiver has been specially drilled and tapped for a moderately priced Savage mount. The Savage Scopegun (rifle, scope, mount) offers an outstanding value.

Savage Scopeguns . . . the money saving way to buy the 340, Savage 4X scope and No. 40 mount.

	340
BARREL	Proof-tested. Special alloy steel.
Length	222 Rem., 24″; 30-30, 22″. 225 Win., 24″
ACTION	Bolt cocks on opening. Design of bolt, sear and trigger mechanism provides fast ignition and crisp trigger pull. Precision head spacing assures extreme accuracy.
MAGAZINE	Detachable clip.
Capacity	222 Rem., 4 shots; 30-30 and 225 Win., 3 shots. Cartridge in chamber makes additional shot available.
SAFETY	Thumb safety, at right rear of receiver, locks bolt and trigger.
STOCK	Select walnut Monte Carlo with fluted comb, white-line pistol grip cap and butt plate. Checkered grip and fore-end.
Dimensions	Length 13½″; drop 1¾″ at comb, 1¾″ at Monte Carlo, 2½″ at heel.
SIGHTS—front	Ramp with gold bead.
rear	Folding leaf Receiver tapped for side mount scopes.
LENGTH	222 Rem. and 225 Win., 42″; 30-30, 40″
WEIGHT (avg.)	6½ lbs.

Scopes for center fire rifles illustrated and described on pages 29 and 30.



750

Savage 750
AUTOMATIC SHOTGUN

750 12 gauge (2¾″ chambers) 750AC Savage Adjustable Choke

Only American-made autoloading shotgun with this famous, time-tested action and the distinctive square silhouette. Thoroughly dependable, it has an overwhelming vote of confidence from autoloading shotgun users the world over. Custom features include walnut stock with fluted comb, checkered pistol grip and fore-end, white-line grip cap and butt plate, plated trigger and safety. The 750-AC is the same outstanding gun with Savage Adjustable Choke to make it truly a multi-purpose gun. Adjusts instantly, without tools, to any choke from full to cylinder. 12 gauge only, with 26″ barrel.

	750	750-AC
BARREL	Proof-tested. White metal bead front sight. Chambered for all 2¾″ 12 gauge shells.	
Lengths and Chokes	26″ imp. cyl., 28″ mod. or full.	26″ with Savage Adjustable Choke.
ACTION	Hammerless, autoloading. Barrel locked to bolt during recoil. Friction ring adjustment for light or heavy loads. Safety fire control—trigger must be released and pulled for each shot. Receiver of light, tough alloy, matted in line of sight, decorated sides. Plated trigger and safety. Damascened bolt. Double extractors.	
MAGAZINE	Holds four shells, plus one in chamber. Magazine plug furnished—reduces capacity to three shots.	
SAFETY	Cross bolt safety at rear of trigger guard locks trigger.	
STOCK	Selected walnut stock and grooved fore-end, checkered. Full pistol grip, fluted comb, white-line butt plate and pistol grip cap.	
Dimensions	Length 14″; drop 1¾″ at comb, 2⅝″ at heel.	
LENGTH	Over-all 45½″-47½″; taken down 31½″.	Over-all 45½″; taken down 31½″.
WEIGHT (avg.)	7¼ lbs.	

SAVAGE ADJUSTABLE CHOKE

No need for a rack full of guns when a shotgun has the Savage Adjustable Choke. A quick twist gives the correct choke for any kind of shooting. Click settings from full to cylinder choke.

Savage OVER-AND-UNDER SHOTGUNS

NEW

Handcrafted in Europe and backed by Savage, this family of over-and-unders offers upland game, waterfowl, skeet and trap shooters more than they ever thought possible at prices like these.

Slim profile and perfect balance combine to offer the shooter an over/under that carries easily and points to perfection. It almost jumps to the shoulder, like its been there a thousand times before. Excellent fit of gun to shooter, coupled with a long-taper forcing cone, reduces recoil. These over-and-unders are comfortable to shoot.

Quality and dependability will delight the owner. Stock and fore-end, of select European walnut, have extensive fine-line checkering. A durable finish enhances the rich walnut grain. The solid steel receiver has just the right touch of engraving on bottom, sides, and top.

A new style selector, separate from the safety, allows instant barrel selection — can be operated quickly by the same forward thumb motion that releases the safety. Barrels are hard-chrome lined to give improved patterns, longer barrel life and easier maintenance. The ventilated rib gives a fast, sure, sighting plane to get you on target quickly. Solid lock-up and tempered coil springs, matched with other precision fitted parts, assure reliable performance.

These shotguns have the appearance and dependability a shooter expects in a quality over-and-under. There's no need to take our word for it. Last year the 440 received universally excellent test reviews from *every* gun editor of *every* gun and outdoor magazine.

Wouldn't you like to carry one of these models home from your local store? They're priced to make it easy to do just that. This is what we mean when we say less money doesn't have to mean less gun — not when its a Savage.

444

444

12 gauge. Deluxe model, complete with ejectors, unique selective single trigger, semi-beavertail fore-end.

440

12 gauge. With selective single trigger, extractors, hand-filling fore-end.

440-T Trap gun

12 gauge. Designed by trap shooters for trap shooters. Beautifully grained European walnut, selective single trigger, manual safety, extra wide trap style ventilated rib, extractors, semi-beavertail fore-end, Monte Carlo stock and recoil pad.

Detailed specifications are on page 15.

440

440-T

Choose your new over-and-under from 4 models — shown here and on the following two pages.

444 barrel selector

Savage OVER-AND-UNDER SHOTGUNS



330

330 12 gauge

The 330 is a unique blending of walnut and steel that's been precision made by European craftsmen to precise Savage specifications. The rugged lock-up, similar to that of guns selling at three to four times the price, is unsurpassed for strength and safety.

Lock-up on the 330 is extra tough. Monoblock locking rails are engaged by locking shield that snaps forward as the gun is closed. This shield overlaps the breech for added strength.

All metalworking is as clean and smooth as a pearl, inside and out. Bluing has taken beautifully to the finely polished surfaces to give a deep, rich lustre.

The 330 has the features to go hand in hand with its rugged dependability. A selective single trigger can be operated quickly by pressing a button mounted in the trigger. Top tang safety is right under the thumb for instant use. Positive extraction is assured by a simple cam action as the gun is opened. The front bead sight gets you quickly on target.

The European walnut stock is oil finished. Custom grade features include side panels and fleur-de-lis checkering.

	444	440	440-T	330
BARRELS	Proof-tested, hard-chrome lined. Ventilated rib with metal bead sights (440-T, wide trap style ventilated rib). 12 ga. chambered for 2¾″ shells.			Proof-tested with metal bead sight. 12 ga. chambered for 2¾″ shells.
Lengths and Chokes	26″ skeet and skeet, 26″ imp. cyl. and mod., 28″ mod. and full. 30″ mod. and full.		30″ imp. mod. and full	26″ imp. cyl. and mod., 28″ mod. and full, 30″ mod. and full.
ACTION	Rugged lock-up at bottom of frame. Coil springs. Fast hammer fall. Automatic ejectors (440 and 440-T, positive extraction).			Strong lock-up at top of breech. Coil springs. Fast hammer fall. Positive extraction.
Trigger	Blued, selective single trigger. Selector lever on top tang.			Blued, selective single trigger. Selector button on trigger.
FRAME	Blued steel, with decoration on top, sides and bottom.			Blued steel, with decoration.
SAFETY	Automatic safety on the top tang; disconnects trigger from sears.		Manually operated top tang safety — disconnects trigger from sears.	Automatic top tang safety locks trigger.
STOCK	Select European walnut with fine-line checkering on pistol grip and fore-end. Hard rubber butt plate. 444 and 440-T have semi-beavertail fore-end. 440-T has Monte Carlo stock with rubber recoil pad.			European walnut stock with checkering on pistol grip and fore-end. Hard rubber butt plate.
Dimensions	Length 14″; drop 1½″ at comb, 2½″ at heel.		Length 14½″; drop 1½″ at comb, 1½″ at Monte Carlo, 2½″ heel.	Length 14″; drop 1½″ at comb, 2½″ at heel.
LENGTH	Over-all 42½″ - 46½″; taken down 26″ - 30″.		Over-all 47″; taken down 30″.	Over-all 42½″ - 46½″; taken down 26″ - 30″
WEIGHT (avg.)	6½ lbs.		7½ lbs.	7 lbs.

Savage 730 "straight eight" CENTER FIRE RELOADING PRESS

(shell holder and primer extra)

Takes all standard ⅞″ x 14 reloading dies. Here is a center fire reloading press that is completely unique, remarkably superior to any other equipment in its price range. Not a "C" press, although its price is not much higher. Not an "H", an "O" or a post type press — it's superior and costs much less. The Savage "Straight Eight" Press has its own distinctive configuration — not for the sake of being different, but to give it strength and precise alignment never before attainable. Study the distinctive features of the Savage "Straight Eight" one by one:

Drop forged steel frame — Strongest material available for the purpose — genuine drop forged steel. More strength and durability for its weight and bulk than castings and alloys used in ordinary presses. Withstands tremendous pressures without springing out of line or danger of breakage. **A Savage exclusive.**

Unique "Straight Eight" design — Cross bar provides extra bearing for ram in working position. This assures perfect alignment of ram and die — essential for super-accurate resizing and swagging. **Another Savage exclusive.**

Takes standard dies — The frame is drilled and tapped for Savage "Micro-Dies" or for other standard ⅞″ x 14 threaded dies.

CARTRIDGE	SHELL HOLDER	PRIMER	CARTRIDGE	SHELL HOLDER	PRIMER
22-250 Rem.	3	Large	**30-30 Win.	2	Large
222 Rem.	10	Small	300 Savage	3	Large
222 Rem. mag.	10	Small	308 Win.	3	Large
225 Win.	2	Large	30-06 Spfld.	3	Large
243 Win.	3	Large	300 Win. mag.	4	Large
*6 mm Rem.	3	Large	303 British	7	Large
250-3000 Savage	3	Large	**38 Spec.	6	Small
270 Win.	3	Large	**357 Mag.	6	Small
284 Win.	3	Large	**44 Mag.	18	Large
7 mm Rem. mag.	4	Large	**45 A.C.P.	3	Large
**30 M1 Carbine	17	Small			

*6 mm Rem. dies will also load 244 Rem.
**Bullet seater designed to crimp bullet in case.

SAVAGE MICRO-DIES

Precision machined to exacting tolerances, working surfaces carefully polished and hardened. Standard ⅞″ x 14 thread fits most reloading tools.

Two die rifle set ..... } (specify caliber)
Three die pistol set ..... }

ACCESSORIES

Primer kit (large and small) .....
Shell holder head (specify caliber) .....

Converts in minutes for bullet swaging — A simple conversion kit changes the "Straight Eight" in minutes to a bullet swaging press. Drop forged steel frame and unique design permit tremendous leverage. Bullets swaged on upstroke with little effort. Swaging dies available in 38 Special (also used for 357 Magnum), 44 Magnum (also used for 44 Special) and 45 A.C.P. calibers, with choice of round-nose or semi-wad cutter. Resulting bullets are extremely uniform in weight and have a mirror finish.

Swaging conversion kit .....
Swaging die set (specify caliber) .....



Automatic primer arm — Cams into position for primer seating on return stroke. Flips out of the way for bullet seating or for resizing. Spent primers are deflected to rear.

Left or right hand operation — It takes only a minute or two to convert the press to left hand operation. Handle also rotates to desired angle.

Savage 630 SHOTSHELL RELOADING PRESS

Gauges: 12, 16, 20, 28 or 410

(includes reversible crimp starter die 6 and 8 point)

Makes perfect reloads . . . plastic or paper. — Savage has developed a popular priced shotshell press that makes perfect reloads faster and easier. **No shell handling** — from the time the empty case is placed in the press until the completely finished product is removed. Just rotate the turret. **Positive operation** — no guess work, no chance for error. Just five strokes from empty case to finished reload — resized, primed, charged, pressurized, precrimped and crimped — presto, a perfect reload. (Four steps for paper.)

Load 3″ magnum shells . . . new kit converts all model 630 presses, 12 or 20 gauge 2¾″, 3″.

Exclusive features of the Savage Press: Floating, hardened resizing ring for easy and accurate resizing; simple, quick adjustment of primer seating depth; calibrated wad pressure adjustment is positive, fast, fool-proof; shell simply and easily extracted from resizing die; sturdy cast iron base, turret and ram.

First stroke deprime, resize and reprime. **Second stroke** drop powder. **Third stroke** insert and pressurize wads—drop shot. **Fourth stroke** precrimp required for plastic shells only. **Fifth stroke** make perfect star crimp—extract shell.

ACCESSORIES

Conversion kit (12, 16, 20, 28 or 410 ga.) .....
Magnum conversion kit 12 ga. 3″, 20 ga. 3″ .....
Charge bushings (powder or shot) .....
Hoppers (powder or shot) .....
Crimp-starter die (6 or 8 point)* .....

*Crimp starter die required for 410 gauge and plastic shells (specify either 6 or 8 point).

NOTE: Each press and conversion kit, with the exception of 3″ conversion kits, are all shipped with one shot and one powder bushing, to provide the most popular reload in each gauge. The bushings shipped with each press and conversion kit are: 12 gauge, 1⅛ oz. shot — M powder bushing; 16 gauge, 1 oz. shot — F powder bushing; 20 gauge, ⅞ oz. shot — E powder bushing; 28 gauge, ¾ oz. shot — B powder bushing; 410 gauge, ½ oz. shot — P powder bushing. Other powder and shot bushings are interchangeable and are listed on powder bushing charge table, included with each press and conversion kit.

3″ CONVERSION KITS: 12 gauge, 1⅝ oz. shot — L powder bushing; 20 gauge, 1¼ oz. shot — J powder bushing. Shot and powder bushings are extra.

Savage DOUBLE BARREL SHOTGUNS

SPORTSMEN THE WORLD OVER
PREFER A DOUBLE GUN

Choice of Experienced Hunters—It's easy to see why. Once you've tried a double barrel shotgun you'll be spoiled for anything else. Light to carry, fast-swinging and quick to point, any hunter will tell you it's the most dependable gun in his rack.

Instant Command of Two Shots, one for close shots, another for the longer ones.

American made by the world's largest producer of double barrel shotguns.

Fox B-SE abounds in custom features. This close-up shows the decorated frame, top tang safety, ventilated rib and checkered pistol grip. Other custom features are the automatic ejectors, fluted comb, white liner under pistol grip and butt plate, and graceful, checkered beavertail fore-end.

SAVAGE- Fox B-SE **Gauges: 12, 16, 20 and 410**

Automatic ejectors are standard equipment on the Fox B-SE, a double gun available in choice of 12, 16, 20 or 410 gauge. Other fine gun features are the single trigger and ventilated rib. The handsome B-SE has the beautiful lines found only in a double gun, enriched with materials and finishes typical of expensive custom guns. Its selected walnut stock has a deeply fluted comb, white-line butt plate and grip cap, checkering on pistol grip. The gracefully tapered beavertail fore-end is also attractively checkered. The frame is satin black with decorations on sides and bottom. Convenient top tang safety. This new double gun is a prestige model that any sportsman will be proud to own.

SAVAGE- Fox B **Gauges: 12, 16, 20 and 410**

For sheer beauty of design, fine balance and fast handling, nothing equals a double—the traditional sporting gun. And there isn't anything like the Fox B at anywhere near its price. Standard equipment includes ventilated rib, select walnut stock with fluted comb, beavertail fore-end, checkering, capped pistol grip and decoration on frame. Two triggers give the shooter instant command of two shots—the split-second choice of two different chokes. *12, 16, 20 and 410 gauges*

SAVAGE-STEVENS 311 **Gauges: 12, 16, 20 and 410**

The Stevens 311 double barrel shotgun is the outstanding value of the double gun field, with many refinements usually found only in higher priced guns. Its sturdy construction, solid lock-up, excellent balance and superior shooting qualities are appreciated by many thousands of satisfied users throughout the world.

Savage- Fox B-SE

Savage- Fox B

Savage-Stevens 311

	Savage- Fox B-SE	B	Savage-Stevens 311
BARRELS	Proof-tested. Raised, ventilated rib with two white metal bead sights (311 has matted rib with one white metal bead.) 12 and 16 ga. chambered for 2¾" shells; 20 ga. for 2¾" and 3"; 410 ga. for 2½" and 3".		
Lengths and Chokes	12, 16 and 20 ga., 26" imp. cyl. & mod., 28" mod. & full. 12 ga. only, 30" mod. & full. 410 ga., 26" full & full.		
ACTION	Hammerless, rugged lock-up. Coil springs; fast hammer fall; positive extraction (B-SE has automatic ejectors that eject fired cases, extract unfired shells).		
Triggers	Non-selective single trigger fires right barrel, then left.	Two triggers.	
FRAME	Box type; satin black finish, with decoration.	Box type; case hardened finish, with decoration.	Box type; case hardened finish.
SAFETY	Automatic safety on top tang locks trigger(s).		
STOCK	Walnut, with fluted comb. Pistol grip checkered and capped (B-SE has white line grip cap and butt plate).		Walnut finished hardwood. Pistol grip and fore-end checkered, fluted comb.
Dimensions	Length 14"; drop 1½" at comb, 2½" at heel.		
Fore-end	Beavertail, checkered. Special fastener prevents shooting loose.		Checkered. Special fastener prevents shooting loose.
LENGTH	Over-all 41¾"-45¾"; taken down 26"-30".		
WEIGHT (avg.)	6¼ to 7 lbs.		



Pat. No. 3,339,304

Savage "FOUR-TENNER"

412 **3 sizes, to fit 12, 16 and 20 gauge shotguns**

The Savage "Four-Tenner" converts most break-action shotguns — single barrel, side-by-side double or over-and-under — to fire 410 gauge shells. Just slip the "Four Tenner" into the breech of the gun, like an extra-long shell. Center the auxiliary extractor over the gun's own extractor. It will function as an extractor or an ejector, depending on the action of the gun. To return to the larger gauge, the adapter is easily removed. No alteration of gun required.

NEW FEATHERWEIGHT

The new featherweight "Four-Tenner" weighs only 5 ounces, and has a new, slim silhouette. Breech is proof-tested steel, barrel is aluminum. Only 12 inches long, it is centered in the bore by a neoprene O-ring.

Patterns? Excellent! Skeet shooters report breaking more birds than with a regular 410 gauge gun.

Savage SLIDE ACTION SHOTGUNS RIGHT AND LEFT-HAND

One look at the model 30, at this price, with these custom grade features, and you'll be sold.

Barrels are now interchangeable. With *one* gun, and selected barrels, you're ready for everything from quail, woodcock and pheasant to ducks and geese; shoot skeet and trap; use slug and buckshot, too. Takes but a few seconds to change barrels.

This deluxe shotgun has a new super strong ventilated rib and gives a single, sure sighting plane that will improve your chances of hitting the target. With the model 30 there's no extra charge for the rib which is a custom feature.

The model 30 is chambered for 2¾″, and 3″ magnum shells. This too is a deluxe feature, and it doesn't cost you extra.

NEW

Savage 30-T *trap and duck gun*

Savage 30-L *left-hand*

30 Gauges: 12, 20 and 410

All the deluxe features mentioned above including ventilated rib, chambering for 2¾″, and 3″ magnum shells, interchangeable barrels and top tang safety. All are important features and you get them at no extra cost.

30-L 12 gauge, left-hand

A model 30 designed specifically for left-hand shooters. Left-hand action means no more ducking ejected shells. Has all model 30 features except take down and top tang safety.

30-T 12 gauge Trap gun

With a Monte Carlo stock, recoil pad, vent rib, and 3″ chambers, the 30-T offers all the features of a deluxe trap gun at a reasonable price. Can also be used as a duck gun.

Interchangeable Barrels

Interchangeable barrels gives the shooter flexibility for all types of shotgunning with just one gun. For instance, you can buy the model 30 in 26″ barrel, improved cylinder for skeet, quail, woodcock, even pheasant. Shoots slugs and buckshot too. At any time you can add, say, a 30″ full choke barrel for ducks and geese, even trap. Then all you pay for is the barrel.

Barrels can be taken down instantly for changing, carrying, cleaning and storing. They are interchangeable within the same gauge only.

Choose from a popular selection of barrel lengths and chokes. See prices and specifications below.

12 gauge: 26″ Imp. Cyl.; 28″ Mod.; 28″ Full; 30″ Full.
20 gauge: 26″ Imp. Cyl.; 28″ Mod.; 28″ Full.

with ventilated rib *with plain barrel*

The new model 30 now has the safety on the top tang, right under your thumb for instant control. It's perfect for left-hand shooters,

The receiver is machined from a solid block of steel. Before machining it weighs more than the completed gun. After machining, it's given a high polish that accepts a beautiful blue. It's also given another deluxe touch by impressing a game scene on the sides. Polish and bluing on other metal areas are in keeping with the receiver. The steel bolt is damascened. The action is smooth and lightning fast.

The stock on the model 30 is American walnut, complete with checkering and a durable finish that enhances the grain.

All these advantages add up to a great deluxe shotgun at a non-deluxe price that will give you real shooting pleasure.

Savage-Stevens 77 Gauges: 12, 16, 20 and 410

The 77 offers the same basic quality as the model 30 but without the interchangeable barrels and other deluxe features. Trim solid steel receiver houses a fast, dependable action. From the handfilling walnut slide handle to the checkered walnut stock with fluted comb, the 77 is a pleasure to handle and shoot.

77-AC Gauges: 12, 16 and 20

(not illustrated)

With the Adjustable Choke feature the 77 becomes an all-purpose shotgun. (Savage Adjustable Choke described on page 11.)

	Savage 30	Savage 30-T	Savage-Stevens 77	Savage-Stevens 77-AC
BARREL	Proof-tested. Ventilated rib with two stainless steel sights. 12 and 20 ga. chambered for 2¾″ and 3″ shells; 410 ga. for 2½″ and 3″.		Proof-tested. White metal bead front sight. 12 and 20 ga. chambered for 2¾″ and 3″ shells; 16 ga. for 2¾″; 410 ga. for 2½″ and 3″ (410 ga., 77 only).	
Lengths and Chokes	12 and 20 ga., 26″ imp. cyl., 28″ mod. or full. 12 ga. only, 30″ full. 410 ga., 26″ mod. or full.	12 ga., 30″ full.	12, 16 and 30 ga., 26″ imp. cyl., 28″ mod. or full. 12 ga. only, 30″ full. 410 ga. 26″ mod. or full.	12, 16 and 20 ga., 26″ with Savage Adjustable Choke.
ACTION	Hammerless, takedown, side ejection (30-30T have damascened bolt. Plated trigger.) Safety fire control — trigger must be released and pulled for each shot. 30L, 77 and 77AC non-takedown, solid frame. Safety fire control — trigger must be released and pulled for each shot.			
MAGAZINE	Holds four 2¾″ shells, plus one in chamber (3″ shells one less). Magazine plug furnished—reduces capacity to three shots.			
SAFETY	Top tang safety locks trigger and sear.		Cross bolt safety at rear of trigger guard locks trigger	
STOCK	Selected walnut stock with checkered pistol grip and fluted comb; grooved slide handle (30T, Monte Carlo stock).		Selected walnut stock and groved slid handle. Full pistol grip and fluted comb.	
Dimensions	Length 14″; drop 1½″ at comb, 2½″ at heel.	Length 14⅝″; drop 1½″ at comb, 1½″ at Monte Carlo, 2¼″ at heel.	Length 14″; drop 1½″ at comb, 2½″ at heel.	
Butt Plate	Recoil pad.		Hard rubber.	Recoil pad.
LENGTH	45½″—49½″	50″	45½″—49½″	45½″
WEIGHT (avg.)	7 lbs. (410 ga., 6¼ lbs.)	8 lbs.	6¼-6¾ lbs.	

30-L Similar to model 30 except shells eject to left. Crossbolt saftety (rear of trigger guard) on left instead of top tang. Barrels: 26″ imp. cyl., 28″ mod. or full, 30″ full.

Savage SINGLE BARREL SHOTGUNS

SAVAGE

220-L Gauges: 12, 16, 20 and 410

This is a hammerless single barrel shotgun. That means streamlined beauty and much more. There's no projecting hammer—the action cocks automatically on opening. The top tang safety is also automatic. The 220-L is the choice of those who want the finest in single guns.

SAVAGE-STEVENS

94-C Gauges: 12, 16, 20, 28 and 410— — top lever opening

Most popular single barrel shotgun ever made—now with checkered pistol grip and fore-end. The 94-C has the dependable hammer style action that is preferred by many. Opening lever on top tang swings either way—equally convenient for right- or left-hand operation. Powerful ejector functions automatically when gun is opened. Available with 36 inch "Long Tom" barrel in 12 gauge.

95 Gauges: 12 and 20—push-button opening

A new, streamlined single barrel shotgun with pushbutton release for easy opening. Frame and trigger guard have sweeping, modern lines. The fore-end is grooved for firm grip and unique good looks. The Stevens 95 is a solid frame type shotgun, with extractor. 12 and 20 gauge only, chambered for 2¾″ or 3″ shells.

940 Gauges: 12, 16, 20, 28 and 410— — side lever opening

Convenient side lever and an easy-opening action are the outstanding features of this reliable single barrel shotgun. The side lever operates with natural thumb pressure, handy for either right- or left-hand shooters. Traditional Stevens quality assures this gun's value and dependability.

940-Y Youth's model Gauges: 20 and 410— — side lever opening

Here's a safe, dependable shotgun for the younger shooter. Has a shorter stock with rubber recoil pad. 26 inch barrel, 20 gauge modified or 410 gauge full choke. A perfect choice for that first gun.

	Savage 220-L	Savage-Stevens 940 and 940-Y	94-C	95
BARREL	Proof-tested. White metal bead front sight. 12 and 20 ga. chambered for 2¾″ and 3″ shells; 16 and 28 ga. for 2¾″; 410 ga. for 2½″ and 3″. (28 ga. available in 940, 94-C only.)			Proof-tested. White metal bead front sight. Chambered for all 2¾″ and 3″ 12 and 20 ga. shells.
Lengths and Chokes	All full choke. 12 ga., 30″; 16 and 20 ga., 28″; 410 ga., 26″.	Full choke. 12 ga., 28″, 30″, 32″ or 36″; 16, 20 and 28 ga., 28″; 410 ga., 26″. (940-Y 26″, 20 ga. mod. or 410 ga. full.)		12 ga., 28″ mod. and 30″ or 32″ full. 20 ga., 28″ full.
ACTION	Hammerless. Unbreakable coil springs.	Low rebounding visible hammer; unbreakable coil springs.		
Extraction	Automatic ejector; positive extraction.			Spring operated extractor.
Opening	Side lever.		Top lever.	Push-button on side of frame.
FRAME	Satin black finish.		Case-hardened finish.	Solid frame; satin black finish.
SAFETY	Automatic top tang safety locks trigger.	Rebounding hammer fires only when trigger is pulled.		
STOCK	Walnut finished hardwood stock and fore-end. Pistol grip. (940-Y has recoil pad.)			
	Wide fore-end has spring tension fastener to prevent shooting loose.		Checkered pistol grip and fore-end. Same fore-end fastener as 940.	Fluted comb. Grooved fore-end.
Dimensions	Length 14″ (940-Y, 12½″); drop 1½″ at comb, 2½″ at heel.			
LENGTH	Over-all 42″—52″; taken down 26″—36″ (940-Y, 40½″ and 26″).			Over-all 44″—48″.
WEIGHT (avg.)	6 lbs. (12 ga. 36″, 6¼ lbs.)			7¼ lbs.

Savage-Stevens BOLT ACTION SHOTGUNS

SAVAGE-STEVENS

58 and 58AC Gauges: 12, 16, 20

This sturdy, reliable shotgun has a rugged and dependable action. The 58 is a safe, accurate repeater at a very moderate price. An exclusive feature is the trigger-sear mechanism that assures clean, crisp trigger pull. Excellent for use with rifled slugs as well as shot shells. Factory-fitted recoil pad included. 20 gauge now available in 3″ magnum.

The 58-AC is the same fine gun equipped with Savage Adjustable Choke that clicks instantly to any setting from full to cylinder — adapts gun to all types of game. (Savage Adjustable Choke described on page 15.)

58 410 gauge

There's no more economical repeating shotgun made. The 58 in 410 gauge has a three-shot detachable clip magazine. A shell in the chamber makes it a four-shot repeater. An ideal utility gun for shooters of all ages.

59 410 gauge — 6-shot; tubular magazine

This popular bolt action is light to carry and pleasant to shoot . . . like a 22 rifle . . . and it's just as inexpensive. The 59 serves many useful purposes — around the farm or camp, for shooting small game and pests, for economical practice with a hand trap. There's a place in every sportman's gun-rack for this little 410 gauge gun.

51 410 gauge — single shot

A sturdy, reliable action with positive automatic safety makes the 51 an excellent choice for a boy's first shotgun. Safety goes on automatically when bolt is turned, must be pushed forward by shooter before gun can be fired. An outstanding value in a bolt action shotgun.

	Savage-Stevens 58 and 58-AC	58-410 ga.	59	51
BARREL	Proof-tested. White metal bead front sight. Full choke (except 58-AC).			
Length	12 and 16 ga. chambered for 2¾″ shells; 20 ga. for 2¾″ and 3″. Length 25″.	Chambered for 410 ga. 2½″ and 3″ shells. Length 24″.		
ACTION	Self-cocking bolt, with double extractors (58 .410 has band type). Safety cam prevents firing before bolt is closed.		Self-cocking bolt action.	
MAGAZINE	Detachable clip.		Tubular.	
Capacity	2 shots, plus one in chamber.	3 shots, plus one in chamber.	5 shots, plus one in chamber. Magazine plug reduces capacity to 3 shots.	Single shot.
SAFETY	Thumb safety at right rear of receiver locks trigger.			Automatic safety locks trigger.
STOCK	One piece, walnut finished hardwood, with checkered pistol grip and fore-end.			
Butt Plate	Recoil pad.		Hard rubber.	
LENGTH	46″	43½″	44½″	43½″
WEIGHT (avg.)	7¼ lbs.	5½ lbs.	6 lbs.	4¾ lbs.



Savage COMBINATION RIFLE/SHOTGUN

A rifle barrel perched on top of a shotgun barrel. Think how useful a gun like that can be. For running or flying game you've got a shotgun. For sitting game or pests, a rifle. Either barrel can be fired with the same trigger—just flick the hammer spur for instant choice.

Five rifle/shotgun combinations to take most any small game. (222/20 gauge shown above)

24-D Calibers: 22 long rifle/Gauges: 20 or 410
22 magnum/Gauges: 20 or 410

This handsome prestige model has checkered walnut stock, and decorated satin black frame. Great for turkeys, chucks, other small game, in appropriate combination. Two-way top lever opening.

24-S Calibers: 22 long rifle/Gauges: 20 or 410
22 magnum/Gauges: 20 or 410

A combination gun at a down-to-earth price. Walnut finished hardwood stock and handy side lever for easy opening.

24-V Caliber: 222 / 20 Gauge

Here it is—a Savage 24 combination gun that gives the shooter command of both a high velocity center fire rifle and a powerful shotgun in one firearm that is as handsome as it is handy. There's a place in every sportsman's gun-rack for the new 24-V—an ideal turkey gun in the East and South, a uniquely useful saddle gun in the West, meeting a real need wherever hunters seek small game and pests. Savage scope extra.

SAVAGE SCOPEGUNS . . . the money saving way to buy scope and mounts. With the prepackaged combination below, you can buy your Savage scope at a savings.

24-V/S *Scopegun*
includes 24-V, Savage 4X scope, rings and base.
Scopes for center fire rifles illustrated and described on pages 29 and 30.

24-D

24-S

24-V *in 222 Rem.*

	24-V	24-D	24-S
BARRELS—upper	Chambered for 222 Rem. Length 24″.	Chambered for 22 long rifle, long or short. Also, chambered for 22 magnum rimfire only. Length 24″.	
lower	Chambered for 20 ga. 2¾″ and 3″ shells. Full choke.	20 ga. chambered for 2¾″ and 3″ shells; 410 ga. for 2½″ and 3″. Full choke.	
ACTION	Low rebounding visible hammer. Single trigger. Selector spur on hammer for instant barrel selection. Separate extractors.		
Opening	Top lever.		Side lever.
FRAME	Satin black, decorated.		Satin black finish.
SAFETY	Rebounding hammer fires only when trigger is pulled.		
STOCK	Length 14″. Special fastener prevents fore-end from shooting loose.		
	Select walnut Monte Carlo stock and fore-end, checkered. Fluted comb. White-line butt plate and capped pistol grip.		Walnut finished hardwood stock and fore-end. Pistol grip.
SIGHTS—front	Ramp.		
rear	Folding leaf. Tapped for top-mount scope.	Open, with elevator. Grooved for instant scope mounting.	
LENGTH	Over-all 40″; taken down 24″.		
WEIGHT (avg.)	6¾ lbs.	6¾ lbs.	6¾ lbs.

Savage BOLT ACTION 22 RIFLES

Savage-Stevens 34 clip

Savage-Stevens 46 tubular, *0420, 4X Scope*

Savage 63

Savage-Stevens 73

	Savage 63 & 63-M	Savage-Stevens 73 & 73-Y
BARREL	Chambered for 22 long rifle, long or short cartridges (63-M chambered for 22 WMR only).	
Length	18″	20″ (73-Y, 18″)
ACTION	Single shot. Cocks on opening. Bolt has front locking lug, locks into barrel extension.	
SAFETY	Automatic safety locks trigger when bolt is operated.	
STOCK	Walnut finish one piece stock with pistol grip (63 and 63-M, full length; sling swivels). Length 14″ (73-Y, 12½″).	
SIGHTS—front	Hooded ramp.	Sporting.
rear	Open with elevator. Receiver grooved for scope mounting.	
LENGTH	36″	38½″ (73-Y, 35″)
WEIGHT (avg.)	4 lbs.	4¾ lbs. (73-Y, 4¼ lbs.)

	Savage 65 & 65-M	Savage-Stevens 34, 34-M & 46
BARREL	Chambered for 22 long rifle, long or short cartridges (65-M & 34-M for 22WMR only.) Length 20″.	
ACTION	Cocks on opening. Recessed bolt face; bolt head encased in solid steel receiver. Double extractors for positive extraction.	
MAGAZINE	Detachable clip, holds 5 shots.	34 & 34-M—Detachable clip, holds 5 shots. 46—Tubular, holds 15 long rifle, 17 long, 22 short.
SAFETY	Thumb safety at rear of receiver locks trigger.	
STOCK	Select walnut Monte Carlo with fluted comb, pistol grip and white-line butt plate.	Walnut finished hardwood one-piece stock with fluted comb and pistol grip.
SIGHTS—front	Gold bead on ramp.	Sporting.
rear	Open, with elevator. Receiver grooved for scope mounting.	
LENGTH	39″	
WEIGHT (avg.)	5 lbs.	

SAVAGE-STEVENS

34 22 long rifle
34-M 22 magnum

This Stevens bolt action 22 has a free-floating tapered barrel for remarkable accuracy. Makes it a natural for the magnum cartridge. Convenient thumb safety at rear of receiver. Walnut finished hardwood stock has fluted comb. Receiver is grooved for scope mount.

46 22 long rifle

This tubular magazine bolt action Stevens 22 has streamlined good looks, a solid steel receiver, smooth action and crisp trigger pull. Convenient thumb safety at rear of receiver. Handsome stock design includes fluted comb and full pistol grip. The 46 has a free-floating tapered barrel, the best design for outstanding accuracy. Large capacity tubular magazine holds up to 22 shots without reloading. Handles all three cartridge lengths—long rifle, long and high speed short—mixed and without any adjustment. Savage scope extra.

Savage 65

SAVAGE

65 22 long rifle
65-M 22 magnum

The Savage 65, with select walnut, Monte Carlo stock, is patterned after a high power rifle. The solid steel receiver houses a smooth, fast action with a crisp trigger pull. Action is safe and dependable, with bolt encased in the receiver, a recessed bolt face, and double extractors. The free-floating barrel means accuracy. Scope, to fit grooved receiver, extra.

The 65-M offers accurate shooting at ranges up to 100-125 yards for the varmint and small game hunter. Exceptionally strong lock-up and free-floating barrel make the 65-M a natural choice for the magnum cartridge.

SAVAGE

63 22 long rifle

There's never been a rifle like it. The 63 is all Savage. Sleek full length Mannlicher style stock with sling swivels, hooded ramp front sight. Streamlined receiver and trigger guard precision made in just two pieces. Bolt has front lock-up, like a big-bore rifle, assuring proper headspace for peak accuracy. Automatic safety goes on when bolt handle is raised. Excellent choice for a first gun or for junior rifle training.

63-M 22 magnum *(not illustrated)*

Strong lock-up and fine accuracy make this rifle a natural for the potent 22 magnum cartridge. Single shot action fills the bill for pest and varmint shooting at ranges up to 125 yards. Receiver grooved for scope mounting. This compact little carbine—only a yard long—has a man-size stock that's a joy to hold.

SAVAGE-STEVENS

73 22 long rifle

For the man or boy choosing his very first gun—for anyone who wants a safe, dependable rifle at a reasonable price. The safety goes on automatically when the bolt is operated—there's no safer design for a first rifle. Dependable—the action is sturdy. Accurate—the free-floating barrel is precision rifled. Good looking too—with a handsome stock and a streamlined receiver that has a satin finish.

73-Y Youth's model 22 long rifle

The 73-Y is designed for the younger shooter. The same good-looking design as the 73, but stock and barrel are shorter. Weight is only 4¼ pounds, making the 73-Y the best choice for a youngster's first gun. *Stevens 73-Y*

SAVAGE SCOPEGUNS

65/S *Scopegun*
includes 65 rifle; 0420, 4X scope

65-M/S *Scopegun*
includes 65-M rifle; 0420, 4X scope

46/S *Scopegun*
includes 46 rifle; 0420, 4X scope

Scopes for 22 caliber rifles illustrated and described on pages 29 and 30.

Savage/Anschutz 22 SPORTERS

NEW

164

54 Sporter

Custom Grade 22 Sporters

164 22 long rifle
164-M 22 magnum

Here's the blood brother of the 54 Sporter, the gun that was so much in demand by sportsmen in 1968. Start with the action of the 164 — it's the same one used on the famous Savage/Anschutz model 64 target rifle. The barrel is precision bored for pinpoint accuracy. Receiver is grooved for instant scope mounting.
The select European walnut stock has all the custom grade features you could ask for — Monte Carlo with cheek-piece, Wundhammer swell pistol grip, schnabel fore-end and hand checkering.
The 164-M is chambered for the 22 magnum cartridge for those longer range shots.

54 Sporter 22 long rifle

It's been a coon's age since American shooters have had a 22 sporting rifle anything like this. The model 54 Sporter combines the world's most accurate smallbore action with a handsome sporting stock that would do credit to the finest custom stock-maker.

The Monte Carlo stock of fine French walnut is strictly custom grade from the hand-carved roll-over cheek-piece and contoured pistol grip to the graceful schnabel fore-end. Both fore-end and pistol grip are lavishly hand-checkered in a skip-line pattern.

The action is the unparalleled Anschutz Match 54 that has completely dominated smallbore rifle shooting in recent years. From Wiesbaden to Camp Perry, from Cairo to Tokyo and Mexico City, the Anschutz Match 54 is truly the choice of champions.

Scopes illustrated and described on pages 29 and 30

The result of this happy marriage of action and stock is a rifle for the shooter who is satisfied with nothing less than the best. Expensive? Yes, compared to run-of-the-mill 22 caliber rifles. But well within the reach of anyone who really appreciates uncompromising standards of quality, precision and accuracy.

For this man the Savage/Anschutz model 54 Sporter is the ultimate in 22 sporters.

Receiver is grooved for scope mount and drilled and tapped for scope bases.

164 Sporter cheek-piece.



54 Sporter with roll-over cheek-piece.

	164	54 Sporter
BARREL	Proof-tested. Chambered for 22 long rifle only. Length 24″.	Special steel, proof-tested. Chambered for 22 long rifle only. Length 23″.
ACTION	Bolt action, cocks on opening.	Match 54 action; cocks on opening. High speed ignition for maximum accuracy.
TRIGGER	Single stage trigger is fully adjustable.	Single stage, adjustable for weight of pull and take up.
MAGAZINE	5 shot clip. 10 shot clip available, 22 long rifle only.	
SAFETY	Slide safety on right side locks sear and bolt.	Wing safety at left rear locks firing pin and bolt.
STOCK	Monte Carlo, of high grade European walnut. Hand-checkered pistol grip and fore-end. White-line butt plate. Cheek-piece. Schnabel fore-end.	Monte Carlo, of high grade European walnut. Hand-checkered pistol grip and fore-end. White-line butt plate and rosewood grip cap. Sling swivel studs. Roll-over check-piece and schnabel fore-end. Durable hand-rubbed finish.
SIGHTS—front	Hooded ramp with gold bead.	
rear	Folding leaf, folds flat for scope use. Receiver grooved for scope mounting.	Folding leaf, folds flat for scope use. Receiver grooved for scope mount, also drilled and tapped for scope bases.
LENGTH	42″	42″
WEIGHT (avg.)	6 lbs.	6¾ lbs.

164-M same as 164 except chambered for 22 magnum rim fire only. 4 shot clip magazine.

Savage AUTOMATIC 22 RIFLES

NEW

Savage **90**

Savage **60**

Savage-Stevens **88**

SAVAGE

90 Carbine **22 long rifle**

This new western style carbine will make you want to step into your boots and don your stetson. The model 90 sports a Monte Carlo, walnut stock, barrel band and swivels. There's a top tang safety that's right where it should be, under your thumb for instant control. Flick it off and you get off 10 shots as fast as you can pull the trigger. Excellent balance, lightweight (5¾ lbs.) and compactness, all create a new standard of fast and effortless handling. Receiver is grooved for instant scope mounting.

not available in Canada.

60 **22 long rifle**

This autoloader is deluxe all the way. There's some of the famous Anschutz stock styling combined with the heft of a big bore rifle. From Monte Carlo stock to semi-beavertail fore-end the model 60 is truly a deluxe automatic. Walnut stock is complete with Wundhammer swell pistol grip, checkering and white-line butt plate. Top tang safety is right under your thumb for instant control. New autoloading action gives sure-fire dependability as fast as you pull the trigger. Grooved receiver for instant scope mounting. Set your sights on a deluxe autoloader — choose the Savage model 60.

SAVAGE-STEVENS

88 **22 long rifle**

The everything gun. It has the speed and dependability of an autoloading action (same new action as the model 60), the beauty of a specially designed and streamlined stock, and a low price every shooter can afford. Push off the top tang safety (right under your thumb for instant control) — you're ready for 15 shots as fast as the trigger is pulled. Walnut finished hardwood stock has checkering on pistol grip and fore-end.
Receiver is grooved for instant scope mounting.

Scopes for 22 caliber rifles illustrated and described on facing page.

	60	88	90
BARREL	Chambered for 22 long rifle. Length 20″.		Chambered for 22 long rifle. Length 16½″.
ACTION	Operates as auto-loader with 22 long rifle cartridges ONLY. Trigger must be pulled for each shot. Pressing cross-bolt to left locks action open for easy cleaning. (88 trigger and magazine ring bright plated.)		
	blued receiver.		Satin blued receiver.
MAGAZINE	Tubular; holds 15 long rifle cartridges.		Tubular; holds 10 long rifle cartridges.
SAFETY	Slide safety on top tang locks trigger mechanism.		
STOCK	Monte Carlo with fluted comb. Full pistol grip and hard rubber butt plate. (88 has straight sporter stock.)		
	Select walnut, checkered pistol grip and fore-end. White-line butt plate. Durable finish.	Checkered, walnut finished hardwood, fluted comb. Pistol grip, white-line butt plate.	Select walnut with sling swivels.
SIGHTS—front	Ramp with gold bead.	Sporting.	Gold bead.
rear	Open, with elevator.		Folding leaf, folds flat for scope use.
	Receiver grooved for instant scope mounting.		
LENGTH	40½″		37½″
WEIGHT (avg.)	6 lbs.	5¾ lbs.	5¾ lbs.

Savage SCOPES
FOR CENTER FIRE RIFLES



4X **Model 0433 — cross hairs; Model 0433P — post reticle**

The closest thing to an all-purpose scope, the 4 power is favored by big game hunters because it has enough magnification for long shots, plus a wide field of view. The big objective lens of the 0433 gathers the extra light needed for accurate shooting all day long. Post or cross hair reticle.

3X-8X **Variable — Model 3833**

There's no finer variable scope for all types of hunting and shooting, with instant choice of any power from 3X to 8X. Consta-Center reticle stays centered at all times — and stays the same size as it quickly adjusts from one power to another. Double-cam action assures perfect focus at all powers. Lenses are precision ground — there's no distortion. The ideal choice for anyone who wants one scope for all uses — with 3 power for wooded country, 4 or 5 power in open country, 6, 7 or 8 power when shooting from a rest.

2½X **Model 2520 — cross hairs; Model 2520P — post reticle**

The best choice for brush country, this 2½ power scope has a wide field of view (over 40 feet at 100 yards) for fast aiming. Perfect for short or medium range shots at big game or for quick shots at running game. Precision ground, hard-coated lenses give the 2520 maximum brightness and clarity. Rugged construction, with permanently centered reticle (post or cross hairs) made of shock-resistant alloy.

For Savage Scopeguns, the economical way to buy a rifle/scope combination, see pages *4, 8, 11, 23, 25.*



Savage SCOPES FOR 22 RIFLES

6X **Model 0620**

This 6 power scope is unmatched for long range shooting, from a prone position or with a rest. It gives the accuracy needed for squirrels or other varmints, or for target shooting. Lenses are precision ground, hard-coated for clear viewing. Internal adjustments made by graduated dials. Permanently centered reticle. Front and rear sunshades for sharper image and for lens protection. Duralumin tube is sturdy and rust-proof with lustrous finish. One-piece mount fits dovetail grooves on most 22's.

4X **Model 0420**

This 4 power scope makes an unbeatable combination with a 22 rifle. Adds pleasure to shooting, whether it's just plinking or the more accurate shooting needed for small game or targets. Extraordinary brightness is the outstanding feature of this scope — so the image is sharper, clearer. Lustrous, polished duralumin tube. Hard-coated, precision ground lenses and Consta-Center reticle.

3X-7X **Zoom Scope — Model 2037**

Here's a variable power scope for 22 rifles with a Consta-Center non-growth reticle. For shooters who want one scope for all kinds of hunting and shooting. Use the 3 power in woods or brush, or for plinking. Just a twist of the wrist adjusts instantly to any power up to 7 for varmints or for target shooting. The 2037 has a ⅞″ diameter tube and a big 20 mm objective lens, so the sight picture is extra bright. Lenses are precision ground and hard-coated, so there's no distortion. Lustrous, polished duralumin tube.

See page 30 for bases and mount specifications.

ADD HOURS TO EVERY SHOOTING DAY!

More light reaches the eye when using a Savage scope, adding hours to every shooting day. There's a sharper, clearer image all day long, making it easier to see game lurking in the shadows.

Every Savage scope has a Consta-Center reticle that stays centered at all times. These reticles are made of shock-resistant alloy. Lenses are precision ground, hard-coated — there's no distortion. Light, sturdy duralumin tubes are rustproof, have a lustrous, durable finish.

The Savage scopes for use on high power rifles, shown on the previous page, are hermetically sealed and nitrogen filled — fog and weather proof. Internal adjustments are controlled by micrometer dials that can be reset to a positive zero.

Built to strict Savage specifications, every scope is fully guaranteed by Savage.

SAVAGE Quick Detachable SCOPE MOUNTS

Scope can be removed from rifle in seconds by means of coin-slotted screws. Replacement is just as fast. Notched base design insures accurate positioning. One or two piece bases mount low on rifle, fit factory drilled and tapped holes in receiver.



B-5 is special one-piece base for 24-V (222 Rem./20 ga. only).

SAVAGE NO. 40 ONE PIECE MOUNT

A sturdy and inexpensive steel mount for one inch scopes. Savage 340 and Springfield 840 are drilled and tapped on the left side for this mount. Positions scope in the normal over-the-bore position. Just drill and tap for four screws to use on other rifles.



LENS COVERS INCLUDED — Protective lens covers, made of genuine leather, are included at no extra charge with all Savage 3833, 0433 and 2520 scope sights. Slip on or off quickly. Kept on scope when it is not in use, they protect lenses against dirt and possible damage.

INSTALLATION IS FAST AND EASY

Savage, Browning, Sears (J.C. Higgins), Husqvarna, Marlin, Remington and Winchester rifles listed here are all drilled and tapped for Savage mounts. With two-piece bases, the one marked BF goes in front, BR in rear (unless otherwise listed). Bases are mounted with notches to right.

To assemble rings to scope, loosen screws at top. The screwheads and locking knob on lower portion face to left. Put split rings into ring base with dovetails properly located. Spread rings to insert scope. Tighten both screws at top of rings.

To position scope and rings on rifle, hook the left-hand dovetail and then tip to engage right dovetail. Turn knurled locking knob, pulling base to rear to be sure the lock bolt is seated in the notch on the base. Tighten firmly with a large coin.

RIFLE	BASES		
	front	rear	one-piece
Savage			
99 (all models)	BF-12	BR-36	
110 (right and left hand)	BF-10	BR-35	
340 (requires side mount)			40
24-V (222 Rem./20 ga. only)			B-5
Savage/Anschutz 153, 54 Sporter	BF-12	BF-12	
Arisaka (Japanese Military) 6.5 & 7.7 mm.	BF-10	BR-39	
Browning	BF-11	BR-33	
(except cal. .243 & .308)			
(cal. .243 & .308)	BF-15	BR-33	
Colt Coltsman F.N.	BF-11	BR-33	
U.S. Enfield			
(1917) (cal. .303 & .30-06)			
(alter receiver)	BF-10	BF-10	
Husqvarna			
(with large receiver ring)	BF-11	BR-33	
(with small receiver ring)	BF-14	BR-33	
Marlin 336			B-1
455	BF-11	BR-33	
Mauser			
1898 (except small ring carbine)			
(all rifles which have "large" 1.410" diam. receiver ring.)	BF-11	BR-34	

RIFLE	BASES		
	front	rear	one-piece
1891, 1893, 1894 Swedish, 1895, 1933 Mexican (all rifles which have "small" 1.300" diam. receiver ring.)	BF-14	BR-34	
F.N. Mausers	BF-11	BR-33	
Remington			
XP 100 & 600			B-4
700, 721, 722 & 725	BF-10*	BR-30	
740, 742 & 760			B-2
Ruger 44 mag.	BR-33	BR-31	
Sears (J.C. Higgins) 45			B-1
50 & 51-L	BF-11	BR-33	
Springfield 1903 & M-22	BF-13	BR-37	
1903-A3	BF-13	BR-38	
Weatherby F.N. action	BF-11	BR-33	
Mark V	BF-10	BR-30	
Western Field 750	BF-11	BR-33	
Winchester			
70 (post war models except 300, 375 & 458 mag.)	BF-10	BR-31	
70 (300, 375 & 458 mag.)	BF-10	BR-32	
88 & 100			B-3

SPECIFICATIONS OF SAVAGE SCOPE SIGHTS

MODEL	POWER	FIELD AT 100 YDS.	EYE RELIEF	TUBE DIA.	LGTH.	WGT. OZS.	GRADUATIONS AT 100 YDS.
3833	3X-8X	35'-13'	3"	1"	11½"	12.0	1"
0433 0433P	4X	30'	3"	1"	12"	10.0	1"
2520 2520P	2½X	43'	3"	1"	10¾"	8.5	2"
2037	3X-7X	25'-14'	2"	⅞"	11¼"	8.0	1"
0620	6X	17½'	2"	¾"	11½"	8.5	1"
0420	4X	25½'	2"	¾"	11½"	8.5	1"

WARRANTY

This scope is precision made of the highest quality materials. It is guaranteed to be free from optical or mechanical defects — if found defective this scope will be replaced with a new scope free of charge or repaired at our option. This warranty is void if the scope has been tampered with, abused or misused. For service see your dealer or write Savage Arms, Westfield, Massachusetts.

This warranty accompanies each Savage scope sight. The warranty and the name Savage on the scope are double assurance that it meets rigid standards in material and workmanship. Quality and performance are backed by Savage—makers of the world's most complete line of sporting firearms.

Anschutz MATCH AIR RIFLE and air rifle pellets

NEW



250 caliber .177

Savage has again drawn on its association with Anschutz, the finest name in smallbore target rifles, to bring shooters a superior match air rifle. The 250, designed, engineered and produced by Anschutz, has already proven itself in some of the world's stiffest competitions, including the World Shooting Championships in Wiesbaden, West Germany, July 1966. The Anschutz air rifle was used by six of the twelve members of the first, second, and third place teams, and by the individual winners of the gold and silver medals.

Recoilless shooting is essential for obtaining top scores in competition. Recoilless shooting with the Anschutz 250 is achieved by means of a unique oil dampener and a compensating piston. There is no movement of barrel or action to disturb the shooter's concentration. The antibacklash side cocking lever requires only minimal (11 lbs.) cocking effort.

The barrel, with 12 precision cut grooves, is made of the same high quality steel used for Anschutz smallbore rifles. The two-stage adjustable hair trigger (adjusts from 2½ oz. to 5 oz.) may be squeezed off at exactly the right moment. Trigger may be moved forward or back to adjust to finger length.

As with Anschutz smallbore rifles, human engineering of the 250 — balance and stock design — makes a significant contribution to a shooter's obtaining top scores. Monte Carlo, cheek-piece, thumb groove, Wundhammer swell, beavertail fore-end with swivel rail and adjustable butt plate; all these features were painstakingly developed by Anschutz in conjunction with the world's leading shooters.

250 Air Rifle

BARREL	Cylindrical, of high grade steel. 12 precision cut grooves. Factory fired target packed with rifle. Chambered for .177 pellets. Average velocity, 580 f.p.s. Length 18½".
ACTION	Single shot, fixed barrel with movable compression cylinder. Recoilless shooting by means of compensating piston. Antibacklash side cocking lever. Cocking effort, 11 lbs.
TRIGGER	Adjustable 2-stage hair trigger. Pull adjusts from 2½ to 5 oz. Trigger may be moved forward or back to adjust to finger length.
STOCK	Fine French walnut with cheek-piece. Beavertail fore-end with swivel rail. Checkered pistol grip with Wundhammer swell. Non-slip, adjustable rubber butt plate.
SIGHTS—front	Barrel has front sight base.
rear	Receiver grooved for Anschutz sights.
LENGTH	45"
WEIGHT (avg.)	11 lbs. with sights.

If you already own an Anschutz target rifle, your sights will fit the 250. Sight equipment and most other Anschutz accessories shown on page 38 will also fit the 250.

AIR RIFLE PELLETS

Maximum accuracy of a quality air rifle can be attained only with match grade pellets — uniform in weight, shape and diameter. Anschutz super match pellets have been carefully selected by Anschutz to meet their standards of precision and accuracy when used with the 250, as well as with other air rifles.

Anschutz Super Match Pellets

Plastic case of 100 individually protected pellets

Refill sheets for above, box of 500 pellets
(50 pellets per sheet)

Can of 200, same pellets as above, but loose packed

ABOUT AIR RIFLE SHOOTING

Since more and more competitive air rifle events are being scheduled, and since air rifle shooting is now sanctioned by the N.R.A., popularity of air rifle shooting has been gaining in the U.S. And well it should.

The 250 is similar in stock design, balance, and weight to the Anschutz 1408 smallbore and thus offers an ideal practice rifle for smallbore shooters. This air rifle has no sharp report; its relatively low velocity (580 f.p.s.) and short range make it ideal for target shooting in your basement, garage or backyard. (One Olympic shooter even practices in his apartment during the winter months.)

The 250 is fun to shoot, and challenging too. At the official 10 meter distance (33 feet) the 250 is capable of putting *every* pellet of a 10 shot group through the *same* hole. With accuracy like this it's obvious the 250 is no toy. And that's why it requires Anschutz, the recognized leader in smallbore rifles, to design and manufacture a rifle of this match competition quality.

ANSCHÜTZ TARGET RIFLES

1413 Super Match 54

1408 Match 54
I.S.U. Standard Rifle

1411 Match 54
Prone Stock Model

MATCH 54 TARGET RIFLES

The Match 54 target rifles have unparalleled accuracy that means higher scores. The action is satin-smooth, the barrels are precision rifled and hand lapped. Short firing pin travel means fast ignition. Receivers of these rifles are grooved for the Anschutz International and Match micrometer sights and are adaptable to Redfield International and Olympic sights. Both the Anschutz two-stage hair trigger and International set trigger are interchangeable with the standard single stage trigger.



The smallbore target rifle that dominates international competition. New butt plate has lateral and cant adjustments, as well as horizontal and vertical. New yoke-type palm rest is fully adjustable. Palm rest, combination hand stop-sling swivel and hook butt plate are standard. Available with left-hand stock.

This rifle meets the requirements of the International Shooting Union for the new "standard rifle." Stock is suitable for all match events. Weight with sights is within the I.S.U. limit of 5 kilograms (11 lbs.).

Here is the famous Match 54 action in a heavy barrel, prone stock model designed especially for American matches. Barrel and action are identical to the 1413 Super Match. Available with left-hand stock.

ANSCHUTZ* is a trademark of J. G. Anschutz, GmbH. *Reg. U.S. Pat. Off.

ANSCHUTZ—THE RIFLE OF OLYMPIC CHAMPIONS

Anschutz target rifles were used by all the smallbore rifle medal winners in the 1964 Olympics and by five of the six medal winners at 1968 Olympics. Anschutz target rifles have also taken a major share of the honors at every recent international match—and at the National Matches at Camp Perry. They are precision products of the firm of J. G. Anschutz, which was founded in 1856. From its modern plant in Ulm, West Germany, come the world's finest target rifles.

New fully adjustable butt plate for Super Match 1413

The Super Match 1413 now has a butt plate with lateral and cant adjustments, as well as horizontal and vertical. Lateral movement from center is three-quarters of an inch to either right or left, while a cant of up to 45 degrees to either right or left can be obtained, satisfying all shooters.



Anschutz and Savage/Anschutz products are available through Savage Arms only in the United States and certain other markets.

	1413	1411	1408
BARREL	Precision rifled and hand-lapped. Chambered for 22 long rifle only.		
Length	Extra heavy, 15/16" diameter. Length 27½".		⅞" diameter. Length 26".
ACTION	Double locking lugs cam into receiver. Short firing pin travel for fast ignition.		
TRIGGER	3 lb. single stage trigger, adjustable from 1½ to 4 lbs.		
SAFETY	Wing type safety locks firing pin and bolt.		
STOCK	Fine French walnut with cheek-piece. Cast-off for precision shooting. Beavertail fore-end with long swivel rail and adjustable swivel.		
	International type with thumb-hole and cheek-piece. Checkered pistol grip. (1413 has fully adjustable palm rest and adjustable pistol grip base.)	Monte Carlo with cheek-piece and high, straight comb. Checkered pistol grip with thumb rest for nearly straight-back trigger squeeze. (1408 has checkered fore-end.)	
Butt Plate	Aluminum hook plate with horizontal, vertical, lateral and cant adjustments.	Non-slip rubber butt plate with vertical adjustment.	
SIGHTS	Receiver grooved for Anschutz micrometer sights. Barrel has scope and front sight blocks.		
LENGTH	50"	46"	44½"
WEIGHT (avg.)	15½ lbs.	11 lbs.	10 lbs.

Left-hand rifles built to same specifications, except with left-hand stock.

Savage/Anschutz TARGET RIFLES

Mark 10

MARK 10

Here's a target rifle with true target rifle features designed in the winning Anschutz tradition. The action is similar to that used in the Savage/Anschutz model 64. The heavy $13/16$" diameter 26" long barrel is precision rifled and free floating. Other features the competitive shooter needs for the best possible scores include an authentic target rifle stock with cheek-piece, thumb groove and Wundhammer swell pistol grip; adjustable hand stop with sling swivel; and 3 lb. single stage trigger adjustable for weight of pull to meet American junior match requirements. Anschutz rear sight has micrometer click adjustments; new type Anschutz globe front sight includes seven different sight inserts.

The Mark 10 comes fully equipped with front and rear target sights. The rear micrometer sight has click adjustments for windage and elevation. The globe front sight has seven aperture and post inserts for various shooting conditions and individual preferences.

64

The 64 offers shooters a moderate priced, medium weight entry into the world of Olympic champions. Target stock has checkered pistol grip, contoured thumb groove, Wundhammer swell, beavertail fore-end and adjustable butt plate. Three-pound single stage trigger is adjustable for weight of pull, take-up and over-travel. 64-S models are equipped with the Anschutz 6723 Match Sight Set. Includes 6705 rear sight with $1/6$ minute click settings. 6522-1 globe front sight with seven post and aperture inserts. All Anschutz accessories, except triggers, may be used on the 64. See page *35*.

64-S

	MARK 10	64
BARREL	$13/16$" diameter. Chambered for 22 long rifle only. Length 26". Free floating.	Medium heavy $11/16$" diameter. Chambered for 22 long rifle only. Length. 26"
ACTION	Single shot. Smooth bolt action with large loading platform.	
TRIGGER	3 lb. single stage, adjustable for weight of pull.	3 lb. single stage, adjustable for weight of pull, take-up, over-travel.
SAFETY	Slide safety on right side locks sear and bolt.	
STOCK	Walnut finished hardwood, with cheek-piece, thumb groove. Adjustable fore-end hand stop and swivel.	Monte Carlo with cheek-piece. Checkered pistol grip. Beavertail fore-end with swivel rail, adjustable swivel. Adjustable, non-slip butt plate.
SIGHTS—front	Insert type globe sight.	Barrel has front sight base.
rear	Micrometer click adjustments. Receiver grooved for scope mounting.	Receiver grooved for Anschutz sights. Barrel has blocks for target scope.
LENGTH	44"	
WEIGHT (avg.)	8½ lbs.	7¾ lbs.

64-S has Anschutz Match sight and globe front sight. Weight 8 lbs.

TARGET RIFLE ACCESSORIES

SIGHT EQUIPMENT

No. 6720 International Sight Set. Includes No. 6702 rear sight, interchangeable 1.1 and 1.2 mm peep sight discs, No. 6522-1 front sight, rubber eyeshade, set of post and aperture inserts. In shock-resistant box.



No. 6702 International Micrometer Sight. With scale. Precise $1/6$ minute click adjustments for windage and elevation. Includes 1.1 mm peep sight disc. Slide-on base fits Anschutz receiver grooves.

Peep Sight Discs
No. 6700-5A—1.1 mm aperture .....
No. 6700-5B—1.2 mm aperture .....

No. 6723 Match Sight Set.** Includes No. 6705 rear sight with 1.1 mm peep sight disc, rubber eyeshade, No. 6522-1 front sight and set of seven post and aperture inserts. In shock-resistant box.



No. 6705 Match Micrometer Sight.** With precise $1/6$ minute click adjustments for windage and elevation. Includes 1.1 mm peep sight disc. Slide-on base fits Anschutz receiver grooves.

No. 6700-20 Rubber Eyeshade. Slips onto peep sight disc. Cut to length desired by removing one groove at a time.

No. 7800 Filter Set. Includes five — reduce haze or glare. Graduated density for varying light conditions. Fits rubber eyeshade, peep sight disc or adjustable eyepiece.

No. 6730 Adjustable Eyepiece. Instantly set for any change of light or range. Choice of eight apertures from 0.8 to 2.0 mm. Aperture stays concentric at all times.



No. 6709 Base for Redfield Sight.* Slides into grooves of Anschutz receiver. Provides side-rail base for Redfield International or Olympic sights.

No. 6522-1 Globe Front Sight. Controls the amount of light and protects front sight. Includes one post insert—insert easily changed. Quickly attached to front sight block.
No. 6522-5 Post Inserts. Set of five .... Individually in 1.7, 2.0, 2.3, 2.6 and 3.- mm widths. each
No. 6522-3 Aperture Inserts. Set of 10 Individually from 1.7 to 5.5 mm in 0.1 mm steps. each



No. 6530 Spirit Level. Fits into globe front sight. Enables shooter to correct his position before each shot.

No. 6525-6 Anti-Glare Tubes. Set of two. Slip into globe front sight

BUTT PLATES

No. 4719-U5R Detachable Hook Plate. Interchanges with rubber plate of models 1408, 1411 and 64 for off-hand shooting. New non-slip insert. Adjusts vertically.
No. 4719-U5L. Left-hand model .....

No. 4717-R Detachable Prone Butt Plate. Interchanges with hook plate of models 1413 and 1410 for prone shooting. Also fits models 1408, 1411 and 64.
No. 4717-L. Left-hand model .....

PALM RESTS

No. 4724-R Universal Palm Rest. Fully adjustable. New yoke type—wooden grip rotates to fit hand. Swivel post allows cant, rotates in complete arc. Lock setting.
No. 4724-L. Left-hand model .....

No. 4731 Combination Hand Stop-Sling Swivel. For right- or left-hand use. Fastens to swivel rail—locks in position.

No. 7400-R Target Sling. Leather, with single frog, buckle and slide adjustment.
No. 7400-L. Left-hand model .....

No. 6219 Adjustable Sling Swivel. New design. Easy to detach, but holds same setting.

TRIGGERS

No. 5039 Anschutz International Set Trigger.* Two triggers in one. Without set, it is two-stage hair trigger (pull adjustable from 2½ to 5 ozs.). With set, it is super sensitive single-stage trigger (pull adjustable from $1/6$ oz. to 2½ oz.).

No. 1407-U9 Anschutz Two-Stage Hair Trigger.* Two adjustments—length of take-up and weight of pull (adjustable from 2½ to 5 ozs.).

No. 1411-U2 Anschutz 3 Lb. Single-Stage Trigger.* Pull adjustable from 1½ to 4 lbs. Replacement spring permits easy conversion to 500 gram (1.1 lb.) trigger pull for I.S.U. requirements.

STOCKS. Anschutz Match 54 target, barreled actions can be used interchangeably in 1413, 1410, 1411 or 1408 type stocks. For information write Arms Service Division, Savage Arms, Westfield, Mass. 01085.

*Cannot be used on Savage/Anschutz Model 64, Mark 10 or Anschutz Model 250.
**Cannot be used on Savage/Anschutz Mark 10.

TABLE of CONTENTS

Page No.

GAUGE ADAPTER
"FOUR-TENNER" 17

RELOADING EQUIPMENT
630 SHOTSHELL PRESS 14
730 CENTER FIRE PRESS 15

RIFLES, CENTER FIRE
BOLT ACTION
110 ..... back cover, 6 - 9
110 action, barreled action 8
340 ..... 10, 11
LEVER ACTION
99 ..... back cover, 2 - 5

RIFLE/SHOTGUN COMBINATIONS
24-S, 24-D, 24-V 22, 23

RIFLES, 22 CALIBER
AUTOMATIC
90, 60, 88 28
BOLT ACTION REPEATING
34, 34-M, 46, 65, 65-M 24, 25
54 Sporter; 164, 164-M Sporters 26, 27
BOLT ACTION, SINGLE SHOT
63, 63-M, 73, 73-Y 24, 25
TARGET RIFLES
1413, 1411, 1408 ..... 32, 33
Mark 10, 64 34
TARGET AIR RIFLE
250 31
air rifle pellets 31
TARGET RIFLE ACCESSORIES 35

SCOPE SIGHTS
FOR CENTER FIRE RIFLES
3833, 0433, 2520 29
mounts, bases 30
FOR 22 CALIBER RIFLES
2037, 0620, 0420 29

SHOTGUNS
AUTOMATIC
750, 750-AC 10, 11
DOUBLE BARREL
B, B-SE, 311 ..... 16, 17
OVER-AND-UNDER
444, 440, 440-T 12, 13
330 ..... 14, 15
REPEATING, BOLT ACTION
58, 58-AC, 59 21
SINGLE BARREL
220-L, 94-C, 95, 940, 940-Y 20
SINGLE SHOT, BOLT ACTION
51 21
SLIDE ACTION
30, 30-T, 30-L 18, 19
77, 77-AC 19

SAVAGE*, the INDIAN HEAD*, STEVENS*, FOX and "Four-Tenner" are trademarks of Savage Arms, Division of Emhart Corporation, Westfield, Mass. 01085, U.S.A. Registered in U.S. Patent Office. *Marca Registrada. ANSCHUTZ† is a trademark of J. G. Anschutz GmbH, Ulm, West Germany. †Registered in U.S. Patent Office.

The prices shown for all Savage, Stevens, Fox, Anschutz, and Savage/Anschutz brand rifles and shotguns herein have been established as Fair Trade retail prices in all states having Fair Trade laws and in other states are suggested retail prices. All prices and specifications are subject to change without notice. Prices include Federal Excise tax where applicable. Weights and stock dimensions vary slightly according to the individual firearm.

Presentation and Citation Grade Rifles

by **Savage**

Savage Presentation Grade Rifles

There have been many requests from discriminating sportsmen for custom-grade rifles built on the two great Savage actions–the 110 and the 99. The skill and artistry of a master engraver is called upon for the lifelike game scenes and scroll work that completely cover the receiver areas. Richly figured walnut in the hands of master stock makers produces stocks of equal merit. Savage Presentation Grade rifles are, of necessity, a limited edition–such fine handwork cannot be hurried. The lucky few who obtain these rifles will own true masterpieces of the gunmaker's art. *These fine rifles are shown and described on pages four through nine.*

SAVAGE ARMS/Westfield, Mass. 01085, Division of Emhart Corporation

911 Printed in U.S.A.